Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)



# SAFETY DATA SHEET

QUICK DRY UNDERCOAT

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1. Product identifier

   Product name
   : QUICK DRY UNDERCOAT
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- **Product use** : Waterborne coating for interior use.

#### 1.3. Details of the supplier of the safety data sheet

ICI Paints AkzoNobel, Wexham Road, Slough, Berkshire, SL2 5DS, U.K. Tel.: +44 (0) 8444 817 818 Fax.: +44 (0) 8444 817 910 www.icipaints.co.uk

e-mail address of person	: duluxtrade_advice@ici.com
responsible for this SDS	

#### 1.4 Emergency telephone number

Telephone number: Emergency Telephone : Slough +44 (0) 1753 550000

Version	:	9
Date of previous issue	;	15-4-2014.

# **SECTION 2: Hazards identification**

2.1. Classification of the su	bstance or mixture
Product definition	: Mixture
Classification according to Not classified.	o Regulation (EC) No. 1272/2008 [CLP/GHS]
Ingredients of unknown toxicity	: 0%
Ingredients of unknown ecotoxicity	: 0%
Classification according to	o Directive 1999/45/EC [DPD]
The product is not classifie	ed as dangerous according to Directive 1999/45/EC and its amendments.
Classification	: Not classified.
See Section 16 for the full te	ext of the R phrases or H statements declared above.
See Section 11 for more de	tailed information on health effects and symptoms.

# **SECTION 2: Hazards identification**

2.2. Label elements		
Signal word	No signal word.	
Hazard statements	No known significant effects or critical hazards.	
Precautionary statements		
General	P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at l	hand.
Prevention	P262 - Do not get in eyes, on skin, or on clothing.	
Response	P312 - Call a POISON CENTER or doctor/physician if you feel unwell.	
Storage	Not applicable.	
Disposal	P501 - Dispose of contents and container in accordance with all local, national or international regulations.	regional,
Supplemental label elements	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic react	ion.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.	
Special packaging requirem	2	
Containers to be fitted with child-resistant fastenings	Not applicable.	
Tactile warning of danger	Not applicable.	
2.3. Other hazards		

Other hazards which do : None known. not result in classification

# **SECTION 3: Composition/information on ingredients**

Substance/mixture	: Mixture				
		% by	Cla	ssification	
Product/ingredient name	Identifiers	weight	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
propane-1,2-diol	EC: 200-338-0 CAS: 57-55-6	1 - <5	Not classified.	Not classified.	[2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

4.1. Description of firs	t aid measures	
General	<ul> <li>In all cases of doubt, or when symptoms persist, seek medical attent anything by mouth to an unconscious person. If unconscious, place i position and seek medical advice.</li> </ul>	
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes w water for at least 15 minutes, keeping eyelids open. Seek immediate attention.	
Date of issue/Date of r	revision : 28-4-2014.	Page: 2/10

### **SECTION 4: First aid measures**

Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

#### 4.2. Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. The mixture is not classified as dangerous according to Directive 1999/45/EC and its amendments.

If splashed in the eyes, the liquid may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

See toxicological information (Section 11)

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Recommended: alcohol-resistant foam, CO <sub>2</sub> , powders, water spray.	
Unsuitable extinguishing media	: Do not use water jet.	
5.2. Special hazards arising f	rom the substance or mixture	
Hazards from the substance or mixture	: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.	
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.	
5.3. Advice for firefighters		
Special protective actions for fire-fighters	: Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.	
Special protective equipment for fire-fighters	: Appropriate breathing apparatus may be required.	

# **SECTION 6: Accidental release measures**

6.1. Personal precautions, pr	ot	ective equipment and emergency procedures
For non-emergency personnel	:	Avoid breathing vapour or mist. Refer to protective measures listed in sections 7 and 8.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2. Environmental precautions	:	Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.

# **SECTION 6: Accidental release measures**

6.3. Methods and materials for containment and cleaning up	:	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Preferably clean with a detergent. Avoid using solvents.
6.4. Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance.

7.1. Precautions for safe handling	<ul> <li>Avoid contact with skin and eyes. Avoid inhalation of vapour, spray or mist. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel. Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws. Do not allow to enter drains or watercourses.</li> <li>When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour to approximate the spray booth is a fallen below the exposure limits.</li> </ul>
7.2. Conditions for safe storage, including any incompatibilities	<ul> <li>Store in accordance with local regulations.</li> <li>Notes on joint storage</li> <li>Keep away from: oxidising agents, strong alkalis, strong acids.</li> <li>Additional information on storage conditions</li> <li>Store in a dry, cool and well-ventilated area. Keep container tightly closed.</li> <li>No smoking. Prevent unauthorised access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.</li> </ul>
7.3.Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance.

#### 8.1. Control parameters

#### **Occupational exposure limits**

Product/ingredient name		Exposure limit values
propane-1,2-diol		EH40/2005 WELs (United Kingdom (UK), 1/2012). TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Particulate TWA: 474 mg/m <sup>3</sup> 8 hours. Form: Sum of vapour and particulates TWA: 150 ppm 8 hours. Form: Sum of vapour and particulates
Recommended monitoring procedures	atmosphere of of the ventilat protective equ the following: the assessme limit values a atmospheres of exposure to (Workplace a	t contains ingredients with exposure limits, personal, workplace or biological monitoring may be required to determine the effectiveness ion or other control measures and/or the necessity to use respiratory uipment. Reference should be made to monitoring standards, such as European Standard EN 689 (Workplace atmospheres - Guidance for ent of exposure by inhalation to chemical agents for comparison with nd measurement strategy) European Standard EN 14042 (Workplace - Guide for the application and use of procedures for the assessment o chemical and biological agents) European Standard EN 482 tmospheres - General requirements for the performance of procedures urement of chemical agents) Reference to national guidance

### **SECTION 8: Exposure controls/personal protection**

documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**

No PNECs available

8.2. Exposure controls	
Appropriate engineering controls	: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.

#### Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection Skin protection	: Use safety eyewear designed to protect against splash of liquids.

#### Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

Gloves	:	For prolonged or repeated handling, use the following type of gloves:
		Recommended: polyethylene (PE), nitrile rubber, neoprene, butyl rubber Not recommended: natural rubber (latex), polyvinyl alcohol (PVA)
		The recommendation for the type or types of glove to use when handling this product is based on information from the following source:
		The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Body protection	:	Not applicable.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Usually no respiratory protection required.
		Respiratory protection in case of dust or spray mist formation. (particle filter EN143 type P2). Respiratory protection in case of vapour formation. (half mask with combination filter A2-P2 till concentrations of 0,5 Vol%.).
Environmental exposure controls	:	Do not allow to enter drains or watercourses.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties **Appearance Physical state** : Liquid. Colour : Not available. Odour : Not available. **Odour threshold** : Not available. pН : Not available. Melting point/freezing point : Not available. Initial boiling point and boiling : 100°C range **Flash point** : Not applicable. **Evaporation rate** : Not available. Upper/lower flammability or : Not available. explosive limits : Not available. Vapour pressure : Not available. Vapour density : 1,314 **Relative density** Solubility(ies) : Easily soluble in the following materials: cold water. Solubility in water : Not available. Partition coefficient: n-octanol/ : Not available. water : Not available. **Auto-ignition temperature Decomposition temperature** : Not available. : Kinematic (room temperature): 12,18 cm<sup>2</sup>/s Viscosity **Explosive properties** : Not available. **Oxidising properties** : Not available. 9.2. Other information

No additional information.

### **SECTION 10: Stability and reactivity**

10.1. Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2. Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
10.3. Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4. Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products.
10.5. Incompatible materials	:	<ul> <li>Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.</li> </ul>
10.6. Hazardous decomposition products	:	<ul> <li>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</li> </ul>

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

There are no data available on the mixture itself. The mixture is not classified as dangerous according to Directive 1999/45/EC and its amendments.

If splashed in the eyes, the liquid may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

	p
Acute toxicity	
<b>Conclusion/Summary</b>	: Not available.
Acute toxicity estimates	i i i i i i i i i i i i i i i i i i i
Not available.	
Irritation/Corrosion	
<b>Conclusion/Summary</b>	: Not available.
Sensitisation	
<b>Conclusion/Summary</b>	: Not available.
Mutagenicity	
<b>Conclusion/Summary</b>	: Not available.
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: Not available.
Reproductive toxicity	
<b>Conclusion/Summary</b>	: Not available.
<b>Teratogenicity</b>	
<b>Conclusion/Summary</b>	: Not available.
Specific target organ tox	<u>icity (single exposure)</u>
Not available.	
Specific target organ tox	icity (repeated exposure)
Not available.	

#### Aspiration hazard

Not available.

#### Other information

: Not available.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

The mixture has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

**Conclusion/Summary** : Not available.

Date of issue/Date of revis	sion : 28-4-2014.
vPvB	: Not applicable.
	P: Not available. B: Not available. T: Not available.
PBT	: Not applicable.
12.5. Results of PBT and	vPvB assessment
Mobility	: Not available.
Soil/water partition coefficient (Koc)	: Not available.
12.4. Mobility in soil	
12.3. Bioaccumulative pot	tential
Conclusion/Summary	: Not available.
12.2. Persistence and deg	<b>jradability</b>

# **SECTION 12: Ecological information**

vP: Not available. vB: Not available.

**12.6. Other adverse effects** 

# : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance.

#### 13.1. Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	<ul> <li>Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.</li> </ul>
Disposal considerations	: Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Disposal considerations	: Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Not emptied containers are hazardous waste.
Type of packaging	European waste catalogue (EWC)
CEPE Paint Guidelines	15 01 10* packaging containing residues of or contaminated by dangerous substances
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information ADR IMDG** 14.1. UN number Not regulated. Not regulated. 14.2. UN proper \_ \_ shipping name 14.3. Transport hazard class(es) Class

Date of issue/Date of revision : 28-4-2014.		Page: 8/10
Marine pollutant substances		Not available.
14.5. Environmental hazards Marine pollutant	No.	No.
14.4. Packing group	-	-
Subsidiary class	-	-

QUICK DRY UNDERCOAT			
SECTION 14:	Transport information		
14.6. Special precautions for user	<b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.		
HI/Kemler number	Not available.		
Emergency schedules (EmS)		Not applicable.	
14.7 Transport in bu according to Annex MARPOL 73/78 and Code	ll of		
Additional information	-	-	
SECTION 15: F	Regulatory information		
EU Regulation (EC) Annex XIV - List of Substances of ver None of the comp Annex XVII - Restric on the manufacture placing on the mark and use of certain dangerous substan mixtures and article Other EU regulation VOC for Ready-for- Mixture Europe inventory 15.2. Chemical Safe Assessment	No. 1907/2006 (REACH) substances subject to authorisation y high concern onents are listed. ctions : Not applicable. ces, s S Use : Not applicable. : At least one component is n ty : Not applicable.	tion specific for the substance or mixture ot listed.	
SECTION 16:	Other information		
	: 7 acronyms : ATE = Acute Toxicity Esti CLP = Classification, Labor 1272/2008] DNEL = Derived No Effect EUH statement = CLP-spr PNEC = Predicted No Effect RRN = REACH Registration rding to Regulation (EC) No. 1272/2000	elling and Packaging Regulation [Regulation (EC) No. t Level ecific Hazard statement ect Concentration on Number	
Not classified.			
Procedure used to	derive the classification according to Classification	Regulation (EC) No. 1272/2008 [CLP/GHS] Justification	
Not classified.			

Full text of abbreviated H statements	: Not applicable.
Full text of classifications [CLP/GHS]	: Not applicable.

# **SECTION 16: Other information**

Full text of abbreviated R phrases	: Not applicable.
Full text of classifications [DSD/DPD]	: Not applicable.
Date of issue/ Date of revision	: 28-4-2014.
Version	: 9
AL 20 A A	

#### Notice to reader

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to AkzoNobel.

#### Head Office

Akzo Nobel Decorative Coatings B.V, Rijksstraatweg 31, 2171 AJ Sassenheim, the Netherlands