

SAFETY DATA SHEET

PERMA-WHITE® INTERIOR EGGSHELL

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	PERMA-WHITE® INTERIOR EGGSHELL
PRODUCT NO.	ZN7070001
APPLICATION	A brush, roller, spray applied single component water-borne, coating.
SUPPLIER	William Zinsser (UK) Ltd
	Wetherby House
	7 Market Place
	Wetherby
	West Yorkshire
	LS22 6LG
	+44(0)1937 584411
	+44(0)1937 584422
	sales@zinsseruk.com
CONTACT PERSON	sales@zinsseruk.com

2 HAZARDS IDENTIFICATION

Harmful by inhalation. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION

Xn;R20. R52/53.

ENVIRONMENT

The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See section 12. HUMAN HEALTH

Prolonged contact may cause redness, irritation and dry skin. Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
Calcium Carbonate		1317-65-3	10-30%	-
Dipropylene glycol dibenzoate	248-258-5	27138-31-4	< 1%	N;R51/53.
4,5-dichloro-2-octyl-2H-isothiazol-3-one	264-843-8	64359-81-5	< 1%	T+;R26. Xn;R22. C;R34. N;R50. R43.
AMMONIA%	215-647-6	1336-21-6	< 1%	C;R34 N;R50
SODIUM NITRITE	231-555-9	7632-00-0	< 1%	O;R8 T;R25 N;R50
ETHANEDIOL	203-473-3	107-21-1	< 1%	Xn;R22
2-(2-BUTOXYETHOXY)ETHANOL	203-961-6	112-34-5	< 1%	Xi;R36
ZINC OXIDE	215-222-5	1314-13-2	< 1%	N;R50/53

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

GENERAL INFORMATION

General first aid, rest, warmth and fresh air. Do not give victim anything to drink if they are unconscious. Get medical attention if any discomfort continues.

INHALATION

Place unconscious person on the side in the recovery position and ensure breathing If respiratory problems, artificial respiration/oxygen. Get medical attention if any discomfort continues. INGESTION

Immediately rinse mouth and drink plenty of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and take these instructions.

Report Date : 16/04/2009 REVISION DATE: 07/01/2005

SKIN CONTACT

Use appropriate hand lotion to prevent defatting and cracking of skin. Immediately remove contaminated clothing. Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water. EYE CONTACT

PERMA-WHITE® INTERIOR EGGSHELL

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms occur after washing.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES

Use pressurised air mask if product is involved in a fire. Cool containers exposed to flames with water until well after the fire is out. Keep run-off water out of sewers and water sources. Dike for water control. UNUSUAL FIRE & EXPLOSION HAZARDS

Fire causes formation of toxic gases.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate

regulatory body.

SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above

accepted level.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container. Avoid contact with oxidising

agents.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
2-(2-BUTOXYETHOXY)ETHANOL		10 ppm	67.5 mg/m3	15 ppm	101.2 mg/m3	
AMMONIA%	WEL	25 ppm	18 mg/m3	35 ppm	25 mg/m3	
Calcium Carbonate			10 mg/m3			
ETHANEDIOL	WEL		52 mg/m3(Sk)		104 mg/m3(Sk)	

WEL = Workplace Exposure Limit.

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

PROTECTIVE EQUIPMENT



Report Date : 16/04/2009 REVISION DATE: 07/01/2005

PERMA-WHITE® INTERIOR EGGSHELL

ENGINEERING MEASURES

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined workplace exposure limit is not exceeded. All handling to take place in well-ventilated area. RESPIRATORY EQUIPMENT

Provide adequate ventilation. Observe Workplace Exposure Limits and minimise the risk of inhalation of vapours.

HAND PROTECTION

Protective gloves should be used if there is a risk of direct contact or splash.

EYE PROTECTION

Wear splash-proof eye goggles to prevent any possibility of eye contact.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

 9 PHYSICAL AND CHEMICAL PROPERTIES

 APPEARANCE
 Liquid

 COLOUR
 White / off-white

 ODOUR
 Slight odour

 SOLUBILITY
 Miscible with water.

RELATIVE DENSITY

VAPOUR DENSITY (air=1)

Heavier than air

10 STABILITY AND REACTIVITY

STABILITY

No particular stability concerns.

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

тва

11 TOXICOLOGICAL INFORMATION

SKIN CONTACT

Prolonged contact may cause redness and irritation.

EYE CONTACT

Slightly irritating

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Dangerous for the environment: May cause long-term adverse effects in the aquatic environment.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Absorb in vermiculite or dry sand, dispose in licensed hazardous waste.

14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transport warning sign required.

15 REGULATORY INFORMATION

LABELLING

PERMA-WHITE® INTERIOR EGGSHELL



CONTAINS

4,5-dichloro-2-octyl-2H-isothiazol-3-one

RISK PHRASES

SAFETY PHRASES

R20	Harmful by inhalation.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S2	Keep out of the reach of children
S13	Keep away from food, drink and animal feeding stuffs.
S46	If swallowed, seek medical advice immediately and show this container or label.
S51	Use only in well-ventilated areas.
S23	Do not breathe vapour/spray.
S56	Dispose of this material and its container to hazardous or special waste collection point.
P14	Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EC. Dangerous Preparations Directive 1999/45/EC.

APPROVED CODE OF PRACTICE

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

NATIONAL REGULATIONS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689. Workplace Exposure Limits 2005 (EH40)

16 OTHER INFORMATION

INFORMATION SOURCES

Croner's Emergency Spillage Guide Croner's Emergency First Aid Guide Croner's Substances Hazardous to Health

REVISION COMMENTS

Sample product for trial testing purposes only

ISSUED BY	
D Charles	
REVISION DATE	07/01/2005
REV. NO./REPL. SDS GENERATED	1
DATE	16/04/2009
RISK PHRASES IN FULL	
NC	Not classified.
R22	Harmful if swallowed.
R25	Toxic if swallowed.
R26	Very toxic by inhalation.
R34	Causes burns.
R36	Irritating to eyes.
R37	Irritating to respiratory system.
R43	May cause sensitisation by skin contact.
R50	Very toxic to aquatic organisms.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R8	Contact with combustible material may cause fire.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.