

According to EC directive 91/155/EEC and subsequent amendments

Version: 2.0

Revision Date: 09/02/05

#### **GEOCEL® CONTRACTORS ACRYLIC**

#### 1. Identification of the Product.

Commercial Name:

Geocel® Contractors Acrylic

Name and Address of Supplier:

**Geocel Limited** Western Wood Way Langage Science Park

Plympton Plymouth PL7 5BG

2. Composition/Information on Ingredients.

Main Switchboard:

United Kingdom +44 (01752) 202060 +44 (01752) 334384

Main Fax:

**Chemical Characterisation:** 

Acrylic sealant (preparation)

#### **Hazardous Ingredients**

Name	CAS No	%	Symbols & health risk phrases
Dolomite Mergal K6N 22233	16389-88-1	>30% <1%	Harmful (Xn) R43 May cause sensitisation by skin contact
Monoethylene Glycol	107-21-1	<1%	Harmful (Xn) R22 Harmful if swallowed
C I Pigment Red 101	1309-37-1	<1% *	
C I Pigment Yellow 42	20344-49-4	<1% *	
Carbon Black	1333-86-4	<1% *	
Titanium Oxide	13463-67-7	1.5% *	

<sup>\*</sup> Specific coloured formulation will contain various pigment additives. The maximum concentration of each pigment, if present, is provided and occupational exposure limits in Section 8

### 3. Hazards Identification.

If ingested may cause some irritation to the mouth and upper digestive tract. May irritate the eyes. May cause irritation especially if exposure is prolonged and or repeated. Unlikely to cause damage to internal organs following skin contact. It is unlike that inhalation will be a route of exposure.



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.0

Revision Date: 09/02/05

### GEOCEL® CONTRACTORS ACRYLIC

4. First Aid.

Skin:

In cases of skin contact, wash the skin with soap

and water.

Eyes:

In cases of eye contact, wash out the eye

thoroughly with plenty of water.

Inhalation:

In cases of inhalation, remove from exposure.

Keep warm and at rest.

Ingestion:

If ingested, wash out the mouth with water. Do not

induce vomiting. Seek medical advice.

Other first aid information:

None known.

5. Fire-Fighting Measures.

Extinguishing media:

Fine water spray, sand, foam, and dry powder.

Unsuitable extinguishing media:

None known.

Unusual fire fighting hazards:

None known.

Special fire fighting procedures:

Cool the storage tank with water spray.

Other recommendations:

Self-contained breathing apparatus should be worn.

**Combustion products:** 

Fumes containing carbon dioxide and carbon monoxide may be formed in large fires.

#### 6. Accidental Release Measures.

Personal precautions:

Wear impervious gloves/overalls and eye protection

while clearing up the spillage. May make floor very

slippery.

Precautions to protect the

environment:

Do not wash into drains.

Clean up procedures:

Contain and collect spillage. Place in plastic barrels for disposal. Do not mix with other waste materials. Dispose of in accordance with State and Local Authority regulations.



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.0

Revision Date: 09/02/05

# **GEOCEL® CONTRACTORS ACRYLIC**

7. Handling and Storage.

Handling precautions: General ventilation is required, local ventilation

is recommended. Wear personal protection

equipment described in Section 8.

Do not store close to strong oxidising agents which could aggravate any fire situation. Do Storage:

not store in direct sunlight.

Unsuitable packaging materials: None known.

Incompatibilities: None known.

Other information: Use in a well ventilated area.



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.0

Revision Date: 09/02/05

#### GEOCEL® CONTRACTORS ACRYLIC

#### 8. Exposure Controls and Personal Protection.

**Exposure controls:** 

See Section 7

#### **Exposure controls for hazardous components**

Name	CAS No	Exposure limits
Dolomite	16389-88-1	10mg/m³ (OES 8hr TWA total inhalable dust)
		5mg/m³ (OES 8hr TWA respirable dust)
Monoethylene Glycol	107-21-1	10mg/m³ (OES 8hr TWA particulates)
		60mg/m³ (OES 8hr TWA vapour)
		125mg/m³ (OES 15 min STEL vapour)
C I Pigment Red 101	1309-37-1	1mg/m³ (OES 8hr TWA)
		2mg/m³ (OES 15 min STEL)
C I Pigment Yellow 42	20344-49-4	1mg/m³ (OES 8hr TWA)
		2mg/m³ (OES 15 min STEL)
Carbon black	1333-86-4	3.5mg/m³ (OES 8hr TWA)
		7mg/m³ (OES 15 min STEL)
Titanium Dioxide	13463-67-7	10mg/m³ (OES 8hr TWA total inhalable dust)
		5mg/m³ (OES 8hr TWA respirable dust)

#### Personal protective equipment

Respiratory:

Not required unless OES is exceeded.

Hand:

Impervious gloves recommended.

Eye:

Chemical goggles recommended.

Skin:

Protective overalls and shoes/boots

recommended.

Industrial hygiene:

Avoid contact with eyes, skin or clothes. Wash

after handling especially before eating,

drinking, or smoking.

All personal protective equipment must comply with the appropriate EEC (CE) standards and should be maintained and stored to ensure continued suitability for use. Where necessary, workers should be trained in the effective use of the personal equipment required.

(1) According to Health & Safety Executive Document EH40



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.0

Revision Date: 09/02/05

# **GEOCEL® CONTRACTORS ACRYLIC**

#### 9. Physical and Chemical Properties.

<u>Appearance</u>

Form:

Smooth paste

Colour:

Various

Odour:

Sweet

Safety related information

PH:

7 - 8

Boiling point/boiling range:

100°C

Melting point/melting range:

Not determined

Flashpoint:

Not determined

Flammability (solid, gas):

Not determined

Auto flammability:

Not determined

**Explosive properties:** 

Not determined

Oxidising properties:

Not determined

Vapour pressure:

Not determined

Specific gravity:

1.5 - 1.65

Solubility in water:

Soluble

Solubility in fat:

Insoluble

Oil/water partition coefficient:

Not determined

Other data

Vapour density (air = 1):

Not determined

Evaporation rate (ethyl ether = 1):

Not determined

Viscosity:

Approx 4000p

% Volatiles:

13

Molecular weight:

Not determined



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.0

Revision Date: 09/02/05

# **GEOCEL® CONTRACTORS ACRYLIC**

10. Stability and Reactivity.

Stability:

Stable.

Reactivity:

May react with strong oxidants

11. Toxicological Information.

Possible health effects

Skin (3):

May produce some skin irritation after

prolonged contact.

Eyes (3):

May cause eye irritation.

Inhalation (3):

No significant effect.

Ingestion (3):

Not classified as 'Harmful if swallowed'. May cause some irritation of the mouth and upper

digestive tract.

Other health hazard information:

This product contains a substance which, if present as a dust or fume, presents an inhalation risk and is subject to an

Occupational Exposure Limit (OEL). This is not relevant to the current physical state of the product, which is not in respirable form.

Not determined

LC50: LD50:

(Oral rat) >2000mg/kg

- (1) Based on product test data
- (2) Based on assessments from related products
- (3) This information is based either on test data, extrapolation from tests on similar materials, review of component data, or a combination of these sources.



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.0

Revision Date: 09/02/05

# **GEOCEL® CONTRACTORS ACRYLIC**

# 12. Ecological Information.

Elimination (3)

Persistence:

Not determined

Degradability:

This product is poorly biodegradable

Behaviour in aquatic compartment (3)

Mobility:

Not determined

**Bioaccumulation:** 

Not determined

**Ecotoxicity (3)** 

Aquatic:

Not readily biodegraded. May accumulate in the aquatic environment. Discharge of large quantities into the aquatic environment may kill

fish and other aquatic organisms.

Terrestrial:

Not determined.

- (1) Based on product test data.
- (2) Based on assessments from related products.
- (3) This information is based either on test data, extrapolation from tests on similar materials, review of component data, or a combination of these sources.

#### 13. Disposal Considerations.

Product disposal:

When disposing of waste or surplus material avoid contact which the eyes and skin. Wear

impervious gloves/overalls.

Packaging disposal:

Packaging should be disposed of in accordance with regional and/or national

regulations.



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.0	Revision Date: 09/02/05					
GEOCEL® CONTRACTORS ACRYLIC						
14. Transport Information.						
UNNO:						
Symbols:						
Road & rail transport (ADR/RID)						
Class:						
Hazard name:	Not classified as hazardous for transport					
Tremcard:						
Sea transport (IMO)						
Air transport (ICAO)						



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.0

Revision Date: 09/02/05

# GEOCEL® CONTRACTORS ACRYLIC

# 15. Regulatory Information.

#### EC Supply classification & labelling

This preparation has been assessed using the health and safety criteria laid down in the EEC Directives of the Control of Dangerous substances and Preparations. It is found not to be classified according to the health and safety criteria.

Use only as directed Keep away from children Wash hands after use

# National legislation Other regulations German waste number: German water class: German Vbf:

German TA-Luft:

Ozone depleting chemicals:

_	_	
EINECS:		
TSCA:		
MITI:		

DSL:

AICS:



According to EC directive 91/155/EEC and subsequent amendments

Version: 2.0

Revision Date: 09/02/05

# **GEOCEL® CONTRACTORS ACRYLIC**

#### 16. Other Information.

This product safety data sheet was prepared in compliance with Commission Directive 91/155/EEC, 67/548/EEC and 1999/45/EC as well as their relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Geocel product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Geocel Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with Commission Directive 1999/45/EC.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Geocel shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Geocel supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary – even for the same product – between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Geocel supplier.