

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

EVO-STIK TRADE DECORATORS CAULK Supercedes Date: 04-Jun-2018 Revision Date 04-Jun-2018 Revision Number 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name Pure substance/mixture EVO-STIK TRADE DECORATORS CAULK Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Adhesives and/or sealants.
Uses advised against	None known

1.3. Details of the supplier of the safety data sheet

<u>Company Name</u> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Signal Word No signal word

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

2.3. Other Hazards

General Hazards No information available.

EVO-STIK TRADE DECORATORS CAULK

Supercedes Date: 04-Jun-2018

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Propanol, oxybis-, dibenzoate	248-258-5	27138-31-4	1- <2.5	Aquatic Chronic 3 (H412)		01-2119529241-49 -XXXX
Ammonium hydroxide	215-647-6	1336-21-6	0.1 - <1	Skin Corr. 1B (H314) Aquatic Acute 1 (H400) STOT SE 3 (H335)		01-2119982985-14 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If medical advice is needed, have product container or label at hand.		
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
Skin Contact	Wash with plenty of soap and water.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a doctor.		
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a doctor. Do NOT induce vomiting.		
Self-Protection of the First Aider	Use personal protective equipment as required.		
4.2. Most important symptoms and	4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	None known.		
4.3. Indication of any immediate medical attention and special treatment needed			
Note to doctors	Treat symptomatically.		

Section 5: FIREFIGHTING MEASURES

EVO-STIK TRADE DECORATORS CAULK

Supercedes Date: 04-Jun-2018

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation, especially in confined areas.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimise spreading. Pick up and transfer to properly labelled containers.
6.4. Reference to other sections	

Reference to other sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
	Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

7.3. Specific end use(s)

Other Information

EVO-STIK TRADE DECORATORS CAULK

Supercedes Date: 04-Jun-2018

Revision Date 04-Jun-2018 Revision Number 1

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Personal Protective EquipmentEye/Face ProtectionTight sealing safety goggles.Skin and Body ProtectionSuitable protective clothing.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

	· · ·	
Physical State	Liquid	
Appearance	Paste	
Colour	White	
Odour	Characteristic	
Odour Threshold	No information available	
Property_	Values	Remarks • Method
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	Not applicable for liquids
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit	No information available	
Vapour Pressure	No information available	
Vapour Density	No information available	
Relative Density	No information available	
Water Solubility	No information available	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	No information available	
Explosive Limits	No information available	
Upper	No information available	
Lower	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
9.2. Other information		
Softening Point	No information available	
Molecular Weight	No information available	
Solvent content (%)	No information available	
I Inited Kingdom, Ireland, - BE		

United Kingdom, Ireland - BE

EVO-STIK TRADE DECORATORS CAULK Supercedes Date: 04-Jun-2018

Revision Date 04-Jun-2018 Revision Number 1

Solid content (%) Density Bulk Density VOC content (%) No information available 1.7 No data available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin Contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.
Sensitisation	No data available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	Not applicable.
Serious eye damage/eye irritation	Not applicable.
Sensitisation	Not applicable.
Germ Cell Mutagenicity	Not applicable.

Carcinogenicity	Not applicable.	
Reproductive Toxicity	No information available.	
STOT - Single Exposure	No information available.	
STOT - Repeated Exposure	Causes damage to organs through prolonged or repeated exposure.	
Aspiration hazard	No information available.	
Numerical measures of toxicity		
Acute Toxicity		
The following values are calculated based on chapter 3.1 of the GHS document mg/kg		
Component Information		

Toxicity Data

Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propanol, oxybis-, dibenzoate 27138-31-4	= 3914 mg/kg (Rat)	> 2000 mg/kg (rat)	-
Ammonium hydroxide 1336-21-6	>2000 mg/kg (Rat)	-	-

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

No information available

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Propanol, oxybis-,	-	3.7 mg/l (fathead minnow)	EL50 (48h) = 19.3 mg/l	
dibenzoate			(Daphnia magna)	
27138-31-4				
Ammonium hydroxide	-	LC50 96 h = 8.2 mg/L	LC50 (48h) = 101 mg/L	
1336-21-6		(Pimephales promelas)	(Daphnia magna) ASTM	
			E729-80	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

EVO-STIK TRADE DECORATORS CAULK Supercedes Date: 04-Jun-2018

12.6. Other adverse effects

No information available

Endocrine Disruptor Information

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

Α	D	F	R

ADR 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Environmental Hazard 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
IMDG 14.1 UN Number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Marine Pollutant 14.6 Special Provisions 14.7 Transport in bulk according t	Not regulated Not regulated Not regulated Not regulated Np None to Annex II of MARPOL 73/78 and the IBC Code No information available
<u>RID</u> 14.1 UN Number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Environmental Hazard 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
ICAO (air) 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group 14.5 Environmental Hazard 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
IATA 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Environmental Hazard	Not regulated Not regulated Not regulated Not regulated Not applicable

EVO-STIK TRADE DECORATORS CAULK Supercedes Date: 04-Jun-2018

14.6 Special Provisions

None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

None

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H314 - Causes severe skin burns and eye damage

H400 - Very toxic to aquatic life

H335 - May cause respiratory irritation

H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls and personal protection

EVO-STIK TRADE DECORATORS CAULK

Supercedes Date: 04-Jun-2018

Revision Date 04-Jun-2018 Revision Number 1

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
PBT Persiste	nt, Bioaccumulative, and Toxic (PBT) Ch	emicals	
STOT (RE): S	Specific target organ toxicity - Repeated e	exposure	
STOT (SE): S	Specific target organ toxicity - Single expo	osure	
EWC: Europe	ean Waste Catalogue		

Key literature references and sources for data
Classification and labeling data calculated from data received from raw material suppliers

Prepared By	Product Safety & Regulatory Affairs
Revision Date	04-Jun-2018
Indication of changes	
Revision Note	Not applicable.
Training Advice	No information available
Further information	No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet