

MC 24 - 334540001/334540041/334540081/33450121

REVISION DATE: May 2007

SDS No.: 15005

334540641/334540681/3345406721/334540161.



SAFETY DATA SHEET FLASHBAND ORIGINAL GREY

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME	FLASHBAND ORIGINAL GREY
PRODUCT NO.	196506, 200005, 205000, 210004, 215009, 220003, 225008, 228504, 232099
SUPPLIER	BOSTIK LIMITED COMMON ROAD STAFFORD STAFFORDSHIRE ST16 3EH +44 1785 255141 +44 1785 272650
EMERGENCY TELEPHONE	+44 1785 255141 +44 1785 272650

2 COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION COMMENTS
No hazardous materials present as defined by Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 (CHIP 3)

3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.
Contact with molten material will cause thermal burns

4 FIRST-AID MEASURES

INHALATION
Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION
DO NOT induce vomiting. Get medical attention immediately.

SKIN CONTACT
If burned by contact with molten material, cool as quickly as possible with water. Do not remove material from skin. Keep affected area covered with cold, clean, wet compresses. Obtain medical assistance immediately.

EYE CONTACT
If splashed by molten material do not try to remove when cool

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA
This material is combustible but not flammable Use fire-extinguishing media appropriate for surrounding materials.

SPECIFIC HAZARDS
Fire or high temperatures create: Toxic gases/vapours/fumes of Carbon dioxide (CO2). Carbon monoxide (CO).

PROTECTIVE MEASURES IN FIRE
Wear self contained breathing apparatus

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS
Pick up for recycling or disposal as appropriate.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS
Avoid contact with bitumen film.

FLASHBAND ORIGINAL GREY**STORAGE PRECAUTIONS**

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT**ENGINEERING MEASURES**

No particular ventilation requirements.

RESPIRATORY EQUIPMENT

N/A.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact. Use thin cotton gloves inside the rubber gloves if allergy risk.

EYE PROTECTION

N/A.

HYGIENE MEASURES

Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. **DO NOT SMOKE IN WORK AREA!**

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Aluminium foil with adhesive layer and release-paper backing

COLOUR

Grey or Silver

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

MATERIALS TO AVOID

No incompatible groups noted.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

11 TOXICOLOGICAL INFORMATION

GENERAL INFORMATION

Product is non hazardous but ingestion may cause obstruction

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment. However, contamination of the aquatic or terrestrial environments should be avoided

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

FLASHBAND ORIGINAL GREY

No transport warning sign required.

ADR LABEL NO. 0 MARINE POLLUTANT No.

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

16 OTHER INFORMATION

GENERAL INFORMATION

This product should be used as directed by Bostik Ltd. For further information consult the product data sheet or contact Technical Services.

INFORMATION SOURCES

This safety data sheet was compiled using current safety information supplied by distributor of raw materials.

REVISION COMMENTS

This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact Bostik Limited.

ISSUED BY

Approved ID

REVISION DATE May 2007

REV. NO./REPL. SDS GENERATED 5

DATE Jan 2003