

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

BOSTIK TANKING SLURRY Supercedes Date: 01-Mar-2018

Revision Date 01-Mar-2018 Revision Number 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name BOSTIK TANKING SLURRY

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Building and construction work.

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corrosion/Irritation	Category 1 - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1 - (H317)
Specific target organ toxicity (single exposure)	Category 3 - (H335)

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains Cement, portland, chemicals, Calcium hydroxide



Signal Word DANGER

Supercedes Date: 01-Mar-2018 Revision Number 1

Hazard statements

BOSTIK TANKING SLURRY

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H317 - May cause an allergic skin reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P260 - Do not breathe dust

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P362 + P364 - Take off contaminated clothing and wash it before reuse

P402 + P404 - Store in a dry place. Store in a closed container

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product requires tactile warnings if supplied to the general public

This product requires child resistant fastenings if supplied to the general public

2.3. Other Hazards

General Hazards

Product dust may be irritating to eyes, skin and respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Cement, portland, chemicals	266-043-4	65997-15-1	>25 - <40	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317)		No data available
Calcium hydroxide	215-137-3	1305-62-0	1 - <5	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		01-2119475151-45 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Revision Date 01-Mar-2018

Supercedes Date: 01-Mar-2018 Revision Number 1

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

BOSTIK TANKING SLURRY

General Advice Immediate medical attention is required. If medical advice is needed, have product

container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Skin Contact Brush off loose particles from skin. Wash off immediately with soap and plenty of water

while removing all contaminated clothes and shoes. If skin irritation persists, call a

Revision Date 01-Mar-2018

doctor.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water,

also under the eyelids, for at least 15 minutes. If symptoms persist, call a doctor.

Ingestion Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this

container or label. Rinse mouth.

Self-Protection of the First Aider Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media

None known

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

Hazardous Combustion Products Carbon oxides.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and eye/face protection.

Supercedes Date: 01-Mar-2018 Revision Number 1

For emergency responders

BOSTIK TANKING SLURRY

Sweep up to prevent slipping hazard.

6.2. Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal.

Methods for cleaning up Avoid creating dust. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid generation of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.

General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feedingstuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep out of the reach of children. Protect from direct contact with water or excessive moisture. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

7.3. Specific end use(s)

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	Ireland	United Kingdom
Quartz	-	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m³ respirable
14808-60-7			
Cement, portland, chemicals	-	TWA: 1 mg/m ³	STEL: 30 mg/m³ inhalable dust
65997-15-1		STEL: 3 mg/m ³	STEL: 12 mg/m³ respirable dust
			TWA: 10 mg/m³ inhalable dust
			TWA: 4 mg/m³ respirable dust
Calcium hydroxide	TWA: 5 mg/m ³	TWA: 5 mg/m ³	STEL: 15 mg/m ³
1305-62-0	_	STEL: 15 mg/m ³	TWA: 5 mg/m ³

Derived No Effect Level (DNEL)No information available

Predicted No Effect Concentration No information available. **(PNEC)**

Revision Date 01-Mar-2018

Supercedes Date: 01-Mar-2018

8.2. Exposure controls

BOSTIK TANKING SLURRY

Ensure adequate ventilation, especially in confined areas. **Engineering Controls**

Personal Protective Equipment

Eye/Face Protection Tight sealing safety goggles. Face protection shield. Wear safety glasses with side

shields (or goggles).

Hand Protection For operations where prolonged or repeated skin contact may occur, impervious gloves

should be worn. Gloves made of plastic or rubber. Gloves should be replaced regularly

Revision Date 01-Mar-2018

Revision Number 1

and if there is any sign of damage to the glove material.

Skin and Body Protection Suitable protective clothing. Gloves made of plastic or rubber. Rubber boots. Wear

impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant clothing such as gloves, apron, boots or whole bodysuits made from neoprene, as appropriate. Avoid contact with skin, eyes or clothing. Wear appropriate personal protective clothing to prevent skin

No protective equipment is needed under normal use conditions. If exposure limits are **Respiratory Protection**

exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid

generation of dust.

Particle filter device (DIN EN 143). Recommended filter type:

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid **Appearance** Powder Colour Grev

Odour No information available **Odour Threshold** No information available

Values Remarks • Method **Property**

No information available

рΗ

Melting point / freezing point No information available Boiling point / boiling range No information available No information available **Flash Point Evaporation Rate** No information available No information available Flammability (solid, gas)

Flammability Limit in Air Upper flammability limit: No information available Lower flammability limit No information available **Vapour Pressure** No information available

Relative Density No information available No information available **Water Solubility** Solubility in Other Solvents No information available **Partition Coefficient** No information available **Autoignition Temperature** No information available **Decomposition Temperature** No information available No information available **Explosive Properties Explosive Limits** No information available No information available Upper

Lower No information available **Oxidising Properties** No information available **Kinematic Viscosity** No information available

Dynamic Viscosity No information available

9.2. Other information

Vapour Density

Softening Point No information available **Molecular Weight** No information available

BOSTIK TANKING SLURRY

Supercedes Date: 01-Mar-2018

Revision Date 01-Mar-2018

Revision Number 1

Solvent content (%) No information available

Solid content (%)

Density No data available

Bulk Density 1.6

VOC content (%)

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidising agents.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact The product causes burns of eyes, skin and mucous membranes.

Ingestion Causes burns.

Sensitisation May cause sensitisation by skin contact.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation Not applicable.

Serious eye damage/eye irritation Not applicable.

Sensitisation Not applicable.

Germ Cell Mutagenicity Not applicable.

Supercedes Date: 01-Mar-2018 Revision Number 1

Carcinogenicity Not applicable.

Reproductive Toxicity No information available.

STOT - Single Exposure No information available.

STOT - Repeated Exposure No information available.

Target Organ Effects Eyes, Lungs, Respiratory system, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity

BOSTIK TANKING SLURRY

Acute Toxicity

Component Information

Toxicity Data Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rat)	LD50 >2000 mg/Kg	-
Calcium hydroxide 1305-62-0	= 7340 mg/kg (Rat)	-	-

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity No information available

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Calcium hydroxide	-	LC50 96 h = 160 mg/L	-	
1305-62-0		(Gambusia affinis static)		

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

Revision Date 01-Mar-2018

BOSTIK TANKING SLURRY Supercedes Date: 01-Mar-2018 Revision Date 01-Mar-2018 **Revision Number 1**

No information available

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Do not re-use container.

European Waste Catalogue 17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09

01, 17 09 02 and 17 09 03

Other Information Waste codes should be assigned by the user based on the application for which the

product was used.

Section 14: TRANSPORTATION INFORMATION

ADR

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

<u>IMDG</u>

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Np

14.6 Special Provisions

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

RID

14.1	UN Number	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es) Not regulated
14.4	Packing Group	Not regulated
14.5	Environmental Hazard	Not applicable
14.6	Special Provisions	None

14.6 Special Provisions

ICAO (air)

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable

14.6 Special Provisions None

ΙΛΤΛ

<u>IAIA</u>	
14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated

BOSTIK TANKING SLURRY
Supercedes Date: 01-Mar-2018

Revision Date 01-Mar-2018 Revision Number 1

14.5 Environmental Hazard Not applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
Cement, portland, chemicals	65997-15-1	47.

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

None

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H335 - May cause respiratory irritation

H315 - Causes skin irritation

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls and personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

BOSTIK TANKING SLURRY

Supercedes Date: 01-Mar-2018

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 01-Mar-2018

Indication of changes

Revision Note Not applicable.

Training Advice No information available

Further information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Revision Date 01-Mar-2018

Revision Number 1