

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

## BITUMEN PAINT CLP



Revision 0

Revision date 2015-03-04

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1. Product identifier</b>	
<b>Product name</b>	BITUMEN PAINT CLP
<b>1.3. Details of the supplier of the safety data sheet</b>	
<b>Company</b>	SEAL IT SERVICES LTD
<b>Address</b>	T/A BOND IT Unit G16 Riverbank Way, Lowfields Business Park, Elland, West Yorkshire HX5 9DN
<b>Web</b>	www.bond-it.co.uk
<b>Telephone</b>	01422 315300
<b>Fax</b>	01422 315310
<b>Email</b>	sales@bond-it.co.uk
<b>1.4. Emergency telephone number</b>	
<b>Emergency telephone number</b>	01422 315300 8.30AM - 5.30PM Mon-Fri

### SECTION 2: Hazards identification

<b>2.1. Classification of the substance or mixture</b>	
<b>2.1.1. Classification - 67/548/EEC</b>	Xn; R65 R10 Symbols: Xn: Harmful.
<b>Main hazards</b>	Flammable. Harmful: may cause lung damage if swallowed.
<b>2.1.2. Classification - EC 1272/2008</b>	Flam. Liq. 3: H226; Asp. Tox. 1: H304;
<b>2.2. Label elements</b>	
<b>Hazard pictograms</b>	 
<b>Signal Word</b>	Danger
<b>Hazard Statement</b>	Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
<b>Precautionary Statement: Prevention</b>	P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting// equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

## BITUMEN PAINT CLP

Revision 0

Revision date 2015-03-04

## 2.2. Label elements

<b>Precautionary Statement: Response</b>	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P331 - Do NOT induce vomiting. P370+P378 - In case of fire: Use for extinction.
<b>Precautionary Statement: Storage</b>	P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Straight run kerosine - solvent naphtha (petroleum), medium aliph.	649-405-00-X	64742-88-7	265-191-7		40 - 50%	Xn; R65

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Straight run kerosine - solvent naphtha (petroleum), medium aliph.	649-405-00-X	64742-88-7	265-191-7		40 - 50%	Asp. Tox. 1: H304;

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Move the exposed person to fresh air.
<b>Eye contact</b>	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
<b>Skin contact</b>	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
<b>Ingestion</b>	DO NOT INDUCE VOMITING.

## 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache.
<b>Eye contact</b>	May cause irritation to eyes.
<b>Skin contact</b>	May cause dermatitis. May cause irritation to skin.
<b>Ingestion</b>	Harmful if swallowed. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. Ingestion may cause nausea and vomiting.

## 4.3. Indication of any immediate medical attention and special treatment needed

<b>Inhalation</b>	Seek medical attention.
<b>Eye contact</b>	Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	If swallowed, seek medical advice immediately and show this container or label.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.
--	---

## 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

## 5.3. Advice for firefighters

	Self-contained breathing apparatus. Wear protective clothing.
--	---

# BITUMEN PAINT CLP

Revision 0

Revision date 2015-03-04

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
--	--

### 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

### 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
--	--

## SECTION 8: Exposure controls/personal protection

### 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
---	--

8.2.2. Individual protection measures	Wear chemical protective clothing.
---------------------------------------	------------------------------------

Eye / face protection	Approved safety goggles.
-----------------------	--------------------------

Skin protection - Handprotection	Chemical resistant gloves (PVC).
----------------------------------	----------------------------------

Respiratory protection	Self-contained breathing apparatus. Wear protective clothing.
------------------------	---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State	Liquid
Colour	Black
Odour	Characteristic
pH	No data available
Melting point	No data available
Freezing Point	No data available
Boiling point	No data available
Flash point	38 °C
Evaporation rate	No data available
Flammability limits	No data available
Vapour Flammability	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive	No data available
Oxidising	No data available
Solubility	Insoluble in water

## BITUMEN PAINT CLP

Revision 0

Revision date 2015-03-04

## 9.2. Other information

Conductivity	No data available
Gas group	No data available
Surface tension	No data available
VOC (Volatile organic compounds)	No data available
Benzene Content	No data available
Lead content	No data available

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions.

## SECTION 11: Toxicological information

## 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

## 12.1. Toxicity

No data available

## SECTION 13: Disposal considerations

## General information

Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

## Hazard pictograms



## 14.1. UN number

UN1263

## 14.2. UN proper shipping name

PAINT

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group III

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## ADR/RID

Hazard ID 30

## BITUMEN PAINT CLP

Revision 0

Revision date 2015-03-04

<b>ADR/RID</b>	
<b>Tunnel Category</b>	(D/E)
<b>IMDG</b>	
<b>EmS Code</b>	F-E S-E
<b>IATA</b>	
<b>Packing Instruction (Cargo)</b>	366
<b>Maximum quantity</b>	220 L
<b>Packing Instruction (Passenger)</b>	355
<b>Maximum quantity</b>	60 L

<b>SECTION 15: Regulatory information</b>
---

<b>SECTION 16: Other information</b>
--------------------------------------

<b>Other information</b>	
<b>Text of risk phrases in Section 3</b>	R65 - Harmful: may cause lung damage if swallowed.
<b>Text of Hazard Statements in Section 3</b>	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
<b>Further information</b>	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.