IKOpro Synthaprufe Lac

First edition date: 27/10/06 91/51/EC (2001/58/EC) - ISO 11014-1 Version: 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

IKOpro Synthaprufe Lac Product name:

Uses or/and applications:

Supplier: lko Europe nv

> d' Herbouvillekaai 80 B-2020 Antwerpen

Belgium

Phone: 00800 32 04 32

Emergency phone number (to be used

UK - National Poisons Information Service Phone: 44 / 191 22 5131

by the practising doctor): B - Centre Antipoisons Tél: 070 / 245.245

2. COMPOSITION / INFORMATION ON INGREDIENTS

Preparation name: IKOpro Synthaprufe Lac

Description of the preparation: Mixture of aliphatic and aromatic hydrocarbons and bitumen.

Component(s) contributing to the

Bitumen H80/90

hazard:

Conc. wt.(%): 64 - Symbol(s): C

· solvent-nafta (aardolie), licht aromatisch; nafta met laag kookpunt Conc. wt.(%): 36 - Symbol(s): Xn N - R-phrase(s): 10-37-51/53-65-66-67

3. HAZARDS IDENTIFICATION

Vapour / air mixture is flammable. Most important hazards:

Repeated or prolonged exposure may cause: headache, skin irritation and irritation of mucous Specific hazards:

membranes.

4. FIRST AID MEASURES

General advice: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything

by mouth to an unconscious person.

Inhalation: Remove to fresh air, keep the patient warm and at rest. If breathing is irregular or stopped,

administer artificial respiration. Give nothing by mouth.

If unconscious, place in the recovery position and seek medical advice.

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a proprietary Skin contact:

skin cleaner.

Do NOT use solvents or thinners.

Eye contact: Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10

minutes, holding the eyelids apart, and seek medical advice.

Ingestion: If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: alcohol-resistant foam, carbon dioxide (CO2), powder, water spray.

Extinguishing media which must NOT be used for safety reasons:

Do not use water jet.

Specific method(s): Cool closed containers exposed to fire with water spray.

Do not allow run-off from fire fighting to enter drains or water courses.

As the product contains combustible organic components: Specific fire hazard(s):

- Fire will produce dense black smoke.

- Decomposition products may be a hazard to health. Appropriate self-contained breathing

apparatus may be required.

Special protective equipment for fire-

fighters:

Use a self-contained breathing apparatus and also a protective suit.

G.E. Conseils ® PAGE 1 /

IKOpro Synthaprufe Lac

Version: 1 First edition date:27/10/06 91/51/EC (2001/58/EC) - ISO 11014-1

6. ACCIDENTAL RELEASE MEASURES

Personal precaution(s): As the product contains combustible organic components: Exclude sources of ignition and

ventilate the area, Exclude non-essential personnel, Avoid breathing vapours. Refer to

protective measures listed in Sections 7 and 8.

Environmental precaution(s): Do not allow to enter drains or water courses.

If the product enters drains or sewers the local water company should be contacted immediately; in the case of contamination of streams, rivers or lakes, the National Rivers

Authority

Method(s) for cleaning up: Contain and collect spillages with non-combustible absorbent materials, e.g. sand, earth,

vermiculite, diatomaceous earth

Place in a suitable container for disposal in accordance with the waste regulations (see

Section 13).

Clean preferably with a detergent - Avoid the use of solvents.

7. HANDLING AND STORAGE

Handling

- Precaution(s): As the product contains combustible organic components: Vapours are heavier than air and

may spread along floors. They may form explosive mixtures with air.

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid

vapour concentrations higher than the occupational exposure limits.

Smoking, eating and drinking is prohibited in areas of storage and use.

For personal protection, see Section 8.

The Manual Handling Operations Regulations may apply to the handling of containers of this product. Refer to the guide weight indicated on the container when carrying out assessments.

- Technical condition(s): The product should only be used in areas from which all naked lights and other sources of

ignition have been excluded.

Electrical equipment should be protected to the appropriate standard.

- Safe handling advice(s): Keep the container tightly closed. Exclude sources of heat, sparks and open flame. Non-

sparking tools should be used.

Avoid skin and eye contact. Avoid inhalation of vapour and spray mist.

Never use pressure to empty: the container is not a pressure vessel. Always keep in

containers made of the same material as the supply container.

Storage

- Precaution(s): Observe the label precautions.

No smoking. Prevent unauthorised access.

- Storage condition(s): Store at temperatures between 0°C and 35°C

Containers which are opened should be properly resealed and kept upright to prevent leakage.

- Packaging / tank material: made of the same material as the supply container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measure(s): Provide adequate ventilation. Where reasonably practicable this should be achieved by the use

of local exhaust ventilation and good general extraction.

If these are not sufficient to maintain concentrations of particulates and/or solvent vapours below the relevant occupational exposure limits, suitable respiratory protective equipment

should be worn.

Control parameter(s):

- Exposure limit(s):

Values according to:

compound nr: 1 - T.L.V.-T.W.A. = 100 ppm

Personal protection equipment:

- Respiratory protection: Air-fed respiratory protective equipment should be worn when this product is sprayed if the

exposure of the sprayer or other people nearby cannot be controlled to below the occupational

exposure limit breathing apparatus with filter A2.

- Hand protection: Barrier creams may help to protect exposed areas of the skin but are not substitutes for full

physical protection. They should not be applied once exposure has occurred.

G.E. Conseils ® PAGE 2 / 5

IKOpro Synthaprufe Lac

 Version: 1
 First edition date:27/10/06
 91/51/EC (2001/58/EC) - ISO 11014-1

When skin exposure may occur, advice should be sought from glove suppliers on appropriate

types. nitrile rubber gloves, neoprene gloves, Latex gloves.

- Skin and body protection: The personnel should wear protective clothing.

- Eye protection: Eye protection designed to protect against liquid splashes should be worn.

Hygiene measure(s): Do not eat, drink, or smoke during work.

9. PHYSICAL AND CHEMICAL PROPERTIES

General information

- Physical state / form: liquid

- Colour: black

- Odour: aliphatic-like

Important health, safety and environmental information

- PH: Not applicable.

- Boiling point/range: Not determined.

- Flash point: 41°C

- Explosion limits: 0.6 % (V/V)

- Relative density (water = 1): 0.89

- Viscosity: 0.2- Water solubility: immiscible

- Fat solubility: Not applicable.- Solvent solubility: partly soluble

10. STABILITY AND REACTIVITY

Stability: Stable under the recommended storage and handling conditions. (See Section 7).

Hazardous decomposition products: Hazardous decomposition products may be released during prolonged heating like smokes,

carbon monoxide and dioxide.

11. TOXICOLOGICAL INFORMATION

General information(s): There is no data available on the product itself.

Acute toxicity

- Inhalation: Symptoms include headache, dizziness, fatigue, muscular weakness, drowsiness and in

extreme cases, loss of consciousness.

- Skin contact: Repeated or prolonged contact with the product may lead to removal of natural fats from the

skin resulting in non-allergic contact dermatitis and absorption through the skin.

- Eyes contact: Splashes in the eyes may cause irritation and reversible local damage.

- Ingestion: There is no data available on the product itself.

12. ECOLOGICAL INFORMATION

General information(s): There is no data available on the product itself.

The product should not be allowed to enter drains or water courses or be deposited where it

can affect ground or surface waters.

Environmental toxicity: There is no data available on the product itself.

Otheradverse effects

13. DISPOSAL CONSIDERATIONS

Waste / unused products: Do not allow into drains or water courses or dispose of where ground or surface waters may

be affected.

Contaminated packaging: Wastes, including emptied containers, are controlled wastes and should be disposed of in

accordance with regulations made under the Control of Pollution Act and the Environmental

Protection Act.

G.E. Conseils ®

IKOpro Synthaprufe Lac

Version: 1

First edition date: 27/10/06

91/51/EC (2001/58/EC) - ISO 11014-1

Further Information(s):

14. TRANSPORT INFORMATION

UN N°:

1263

Land (Road / Railway: ADR/RID)

- Proper shipping name:

Paint or Paint related material

- Class:

- Verpakkingsgroep:

- Classification code:

F1

Sea (IMDG)

- Proper shipping name:

Paint or Paint related material

- Class:

- Packaging group:

- Marine pollutant:

Air (ICAO/IATA)

15. REGULATORY INFORMATION

Labelling:

According to european directives on classification, packaging and labelling of dangerous

substances

EC number:

Not applicable.

Symbol(s):

Xi - Irritant; N - Dangerous for the environment





R-phrase(s):

10 Flammable.

37 Irritating to respiratory system.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

66 Repeated exposure may cause skin dryness or cracking

67 Vapours may cause drowsiness and dizziness

S-phrase(s):

None according to EC directives.

Further information(s):

VOC limit value (cat A/i) 600 g/L 2007; 500 g/L 2010

16. OTHER INFORMATION

According legislation(s):

Information in this safety data sheet is in compliance with national laws and CE directives.

Item nr 2 : R-phrase(s)

R10 Flammable.

R37 Irritating to respiratory system.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking

R67 Vapours may cause drowsiness and dizziness

Important remarks:

As the specific conditions of use of the product are outside the supplier's control,

the user is responsible for ensuring that the requirements of relevant legislation are complied

with.

The user is always responsible for ensuring that the requirements of relevant legislation are

complied with.

The information contained in this safety data sheet is based on the present state of knowledge and current national legislation it provides guidance on health safety and environmental aspects of the product and should not be construed as any guarantee of technical

performance or suitability for particular applications.

IKOpro Synthaprufe Lac

Version: 1

First edition date:27/10/06

91/51/EC (2001/58/EC) - ISO 11014-1

Uses or/and applications:

Restrictions:

The product should not be used for purposes other than those shown in Section 16 without

first referring to the supplier and obtaining written handling instructions.

History

- First edition date:

27/10/06

- Version:

1

Written by:

R. De Cleen

G.E. Conseils ®

PAGE 5 / 5