

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 29-Mar-2018 Revision Number 1

Revision Date 29-Mar-2018

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.

Uses advised against

Not to be used in production of toys or childcare articles

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Signal Word

No signal word

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children

P280 - Wear protective gloves and eye/face protection

2.3. Other Hazards

General Hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 29-Mar-2018 Revision Number 1

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	934-956-3		>25 - <40	Asp. Tox. 1 (H304)		01-2119827000-58 -XXXX
Zinc pyrithione	236-671-3	13463-41-7	0.01 - <0.1	Eye Dam. 1 (H318) Acute Tox. 3 (H301) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		01-2119511196-46 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice If medical advice is needed, have product container or label at hand. If symptoms

persist, call a doctor.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Skin Contact Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical

advice/ attention.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If

symptoms persist, call a doctor.

Ingestion Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a

doctor

Self-Protection of the First Aider Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 29-Mar-2018

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation, especially in confined areas.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. **Methods for Containment**

Methods for cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover

powder spill with plastic sheet or tarp to minimise spreading. Pick up and transfer to

properly labelled containers.

6.4. Reference to other sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Reference to other sections

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Revision Date 29-Mar-2018

Revision Number 1

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 29-Mar-2018 Revision Number 1

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

7.3. Specific end use(s)

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

Chemical Name	European Union	Ireland	United Kingdom
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	STEL: 250 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 260 mg/m ³	STEL: 333 mg/m ³
	S*	STEL: 600 ppm	TWA: 200 ppm
		STEL: 780 mg/m ³	TWA: 266 mg/m ³
		Skin	Skin

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face ProtectionSkin and Body Protection

Tight sealing safety goggles.
Suitable protective clothing.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical StateLiquidAppearancePasteColourClear

Odour Characteristic

Odour Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting point / freezing point
Boiling point / boiling range
Flash Point No information available
No information available
No information available
No information available
Flammability (solid, gas) No information available

Flammability (solid, gas) No information available Not applicable for liquids

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit
Vapour Pressure
Vapour Density

No information available
No information available
No information available

Relative Density 0.94

Water Solubility Insoluble in water

Solubility in Other Solvents

Partition Coefficient

No information available
No information available

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR

Autoignition Temperature
Decomposition Temperature
Explosive Properties
Explosive Limits
Upper
Lower
No information available

Kinematic Viscosity > 50 mm²/s @ 40°C

Dynamic Viscosity No information available

9.2. Other information

Supercedes Date: 29-Mar-2018

Softening Point
Molecular Weight
Solvent content (%)
Solid content (%)
Density
No information available
No information available
No information available
No data available
No data available

VOC content (%)

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin ContactBased on available data, the classification criteria are not met.

Revision Date 29-Mar-2018

Revision Number 1

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 29-Mar-2018

Ingestion Based on available data, the classification criteria are not met.

Sensitisation No data available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation Not applicable.

Serious eye damage/eye irritation Not applicable.

Sensitisation Not applicable.

Germ Cell Mutagenicity Not applicable.

Carcinogenicity Not applicable.

Reproductive Toxicity No information available.

STOT - Single Exposure No information available.

STOT - Repeated Exposure No information available.

Aspiration hazard No information available.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 34,222.00 mg/kg

Component Information

Toxicity Data Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C15-C20,	LD50 > 5000 mg/kg (rat)	LD50 > 3160 mg/kg (rabbit)	LC50 Inhalation(4h) >5266 MG/M3
n-alkanes, isoalkanes, cyclic 0.03% aromatics	s, < OECD 401	OECD 402	Rat

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity No information available

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Hydrocarbons, C15-C20,	EL50 (72h) >10,000 mg/L	LL50 (96h) > 1028 mg/L	LL50 (48h)> 3193 mg/l	
n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	(Skeletonema costatum) ISO 10253	(Scophthalmus maximus) OECD 203	(Acartia tonsa)	
	100 10200	0202 200		
Zinc pyrithione	-	-	EC50 (48h) =0.038 mg/L	100
13463-41-7			Crustaceans (Ilyocypris	
			dentifera)	

Revision Date 29-Mar-2018

Revision Number 1

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 29-Mar-2018 **Revision Number** 1

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

No information available Partition coefficient

12.4. Mobility in soil

No information available. Mobility in soil

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available

Endocrine Disruptor Information

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

Other Information Waste codes should be assigned by the user based on the application for which the

product was used.

Section 14: TRANSPORTATION INFORMATION

<u>AD</u>R

14.1 UN/ID no Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing Group Not regulated 14.5 Environmental Hazard Not applicable None

14.6 Special Provisions

IMDG

Not regulated 14.1 UN Number 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing Group Not regulated 14.5 Marine Pollutant Np

14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

RID

14.1 UN Number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 29-Mar-2018 Revision Number 1

14.4	Packing Group	Not regulated
14.5	Environmental Hazard	Not applicable
440	Chariel Draviniana	None

14.6 Special Provisions None

ICAO (air)

14.1 UN/ID noNot regulated14.2 Proper Shipping NameNot regulated14.3 Hazard ClassNot regulated14.4 Packing GroupNot regulated14.5 Environmental HazardNot applicable14.6 Special ProvisionsNone

IATA

14.1 UN/ID noNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing GroupNot regulated14.5 Environmental HazardNot applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
Diisononyl phthalate	28553-12-0	52[a].

52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

None

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 29-Mar-2018 Revision Number 1

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H318 - Causes serious eye damage

H301 - Toxic if swallowed

H331 - Toxic if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H304 - May be fatal if swallowed and enters airways

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls and personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 29-Mar-2018

Indication of changes

Revision Note Not applicable.

Training Advice No information available

Further information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet