

27 - ~~S27690041~~ / ~~S27690491~~ / ~~S27690501~~ / ~~S27690541~~ / ~~S27690081~~

REVISION DATE: 15-02-2007

~~S27690121~~ / ~~S27690201~~ / ~~S27690001~~ / ~~S27690161~~



Safety Data Sheet to GHS/IEC as amended

A Brand like a Friend

SAFETY DATA SHEET UNIBOND SUPER PVA ADHESIVE & SEALER

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME	UNIBOND SUPER PVA ADHESIVE & SEALER
PRODUCT NO.	260948, 666010 , 686452, 693354, 716632, 766301, 766302, 778355, 839684, 991474, 991400, 260949, 260950, 260951, 260952 , 260947, 581880, 260964, 450668
APPLICATION	General purpose bonding adhesive, sealer and primer
SUPPLIER	Henkel Consumer Adhesives Road 5, Winsford Industrial Estate Winsford Cheshire CW7 3QY T: 01606 593933 F: 01606 863762 E: technical.services@henkel.co.uk
EMERGENCY TELEPHONE	0870 190 6777

2 COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION COMMENTS
Water based dispersion of a homopolymer of vinyl acetate

3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

4 FIRST-AID MEASURES

INHALATION
Fresh air and rest.

INGESTION
Get medical attention. Do not induce vomiting.

SKIN CONTACT
Remove contaminated clothing immediately and wash skin with soap and water. Contact physician if irritation continues.

EYE CONTACT
Make sure to remove any contact lenses from the eyes before rinsing. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA
This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

ENVIRONMENTAL PRECAUTIONS
Do not discharge onto the ground or into water courses.

SPILL CLEAN UP METHODS
Absorb with inert, damp, non-combustible material, then flush area with water.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS
Provide good ventilation.

STORAGE PRECAUTIONS
Protect from freezing and direct sunlight.

UNIBOND SUPER PVA ADHESIVE & SEALER

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

PROTECTIVE EQUIPMENT



ENGINEERING MEASURES

Provide adequate general and local exhaust ventilation.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact. Rubber or plastic.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid		
COLOUR	White		
ODOUR	Characteristic		
SOLUBILITY	Miscible with water.		
RELATIVE DENSITY	1.05 23	pH-VALUE, CONC. SOLUTION	4.5

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions. Avoid: Freezing.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

11 TOXICOLOGICAL INFORMATION

HEALTH WARNINGS

No specific health warnings noted.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

BIOACCUMULATION

Not expected to bioaccumulate.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

UNIBOND SUPER PVA ADHESIVE & SEALER

14 TRANSPORT INFORMATION

ROAD TRANSPORT NOTES	Not Classified
RAIL TRANSPORT NOTES	Not Classified.
SEA TRANSPORT NOTES	Not Classified.
AIR TRANSPORT NOTES	Not Classified.

15 REGULATORY INFORMATION

RISK PHRASES	NC	Not classified.
--------------	----	-----------------

SAFETY PHRASES	NC	Not classified.
----------------	----	-----------------

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

16 OTHER INFORMATION

INFORMATION SOURCES

Material Safety Data Sheet, Misc. manufacturers.

ISSUED BY

Technical Services Department, Winsford, Cheshire

REVISION DATE 15-02-2007

DISCLAIMER

Every effort has been made to ensure that this information is accurate and up to date. , Users are reminded that they should ensure that they have retained or internally circulated the most up to date copy as provided to the persons or work locations which require them. , No warranty is implied or given as to suitability for use for any activity which is not covered by either the technical data sheet or restrictions of use as above.