### SAFETY DATA SHEET

#### ENVIROMOSE ALIGATOR - GAP FILLING POLYURETHANE ADHESIVE

Page 1 Issued: 02/06/2010 Revision No: 1

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: ENVIROMOSE ALIGATOR - GAP FILLING POLYURETHANE ADHESIVE

Product code: ENV-ALIG-PU

Company name:Chemicals LtdP.O.Box 88SouthportMerseysidePR8 5LHUnited KingdomTel: 01704 880800Fax: 01704 880900Emergency tel: 07966 660840Email: sales@paintstripper.com

### 2. HAZARDS IDENTIFICATION

Main hazards: Harmful by inhalation. Irritating to eyes, respiratory system and skin. May cause sensitisation by inhalation.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: DIPHENYLMETHANE DIISOCYANATE (ISOMERS AND HOMOLOGUES) 40-60%

CAS: 9016-87-9

[Xn] R20; [Xi] R36/37/38; [Sens.] R42

## 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

### 4. FIRST AID MEASURES (ACTION)

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the	
	affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a	
	doctor.	
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to	
	drink immediately. Consult a doctor.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.	

# SAFETY DATA SHEET

# ENVIROMOSE ALIGATOR - GAP FILLING POLYURETHANE ADHESIVE

5. FIRE-FIGHTING MEASURES				
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool			
	containers.			
Exposure hazards:	In combustion emits toxic fumes.			
Protection of fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin			
	and eyes.			
6. ACCIDENTAL RELEASE MEASURES				
Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from			
	downwind. If outside keep bystanders upwind and away from danger point. Mark out the			
	contaminated area with signs and prevent access to unauthorised personnel. Turn leaking			
	containers leak-side up to prevent the escape of liquid.			
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.			
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by			
	an appropriate method.			
7. HANDLING AND STORAGE				
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do			
	not handle in a confined space. Avoid the formation or spread of mists in the air.			
Storage conditions:	Store in cool, well ventilated area. Keep container tightly closed.			
8. EXPOSURE CONTROLS / PERSONAL PROTECTION				
Engineering measures:	Ensure there is sufficient ventilation of the area.			
<b>Respiratory protection:</b>	Self-contained breathing apparatus must be available in case of emergency.			
Hand protection:	Impermeable gloves.			
Eye protection:	Safety glasses. Ensure eye bath is to hand.			
Skin protection:	Impermeable protective clothing.			
9. PHYSICAL AND CHEMICAL PROPERTIES				
State:	Liquid			
Colour:	Brown			
Odour:	Barely perceptible odour			

Odour:	Barely perceptible odour
Evaporation rate:	Negligible
Solubility in water:	Insoluble
Also soluble in:	Most organic solvents.
Viscosity:	Viscous
Viscosity value:	4500-5500m

Page 2

# SAFETY DATA SHEET

# ENVIROMOSE ALIGATOR - GAP FILLING POLYURETHANE ADHESIVE

10. STABILITY AND REACTIVITY					
Stability:	Stable under normal conditions.				
Conditions to avoid:	Heat.				
Materials to avoid:	Strong oxidising agents. Strong acids.				
Haz. decomp. products:	In combustion emits toxic fumes.				
11. TOXICOLOGICAL INFORMATION					
Hazardous ingredients:	DIPHENYLMETHANE DIISOCYANATE (ISOMERS AND HOMOLOGUES)				
	ORL RAT LD50 49 gm/kg				
	SKN RBT LD50 >9400 mg/kg				
Routes of exposure:	Refer to section 4 of SDS for routes of exposure and corresponding symptoms.				
12. ECOLOGICAL INFORMATION					
Mobility:	Readily absorbed into soil.				
Persistence and degradability:	Dangerous for the environment if discharged into watercourses.				
Bioaccumulative potential:	No bioaccumulation potential.				
Other adverse effects:	Negligible ecotoxicity.				
13. DISPOSAL CONSIDERATIONS					
Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal company.				
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.				
NB:	The user's attention is drawn to the possible existence of regional or national regulations				
	regarding disposal.				
14. TRANSPORT INFORMATION					
ADR / RID					
UN no:	N/R				
IMDG / IMO					
UN no:	N/R				
IATA / ICAO					
UN no:	N/R				
15. REGULATORY INFORMATION					
Hazard symbols:					

**Risk phrases:** R20: Harmful by inhalation.

R36/37/38: Irritating to eyes, respiratory system and skin.

R42: May cause sensitisation by inhalation.

Issued: 02/06/2010

# SAFETY DATA SHEET

# ENVIROMOSE ALIGATOR - GAP FILLING POLYURETHANE ADHESIVE

Safety phrases:	S2: Keep out of the reach of children.				
	S23: Do not breathe fumes.				
	S46: If swallowed, seek medical advice immediately and show this container or label.				
	S63: In case of accident by inhalation, remove casualty to fresh air and keep at rest.				
Precautionary phrases:	Contains isocyanates. See information supplied by the manufacturer.				
Haz. ingredients (label):	DIPHENYLMETHANE DIISOCYANATE (ISOMERS AND HOMOLOGUES)				
Note:	The regulatory information given above only indicates the principal regulations specifically				
	applicable to the product described in the safety data sheet. The user's attention is drawn to				
	the possible existence of additional provisions which complete these regulations. Refer to all				
	applicable national, international and local regulations or provisions.				
16. OTHER INFORMATION					
Risk phrases used in s.3:	R20: Harmful by inhalation.				
	R36/37/38: Irritating to eyes, respiratory system and skin.				
	R42: May cause sensitisation by inhalation.				
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall				
	be used only as a guide. This company shall not be held liable for any damage resulting from				

handling or from contact with the above product.

Page 4