

Date of Last Change: 21/05/2019

Version: 4.1

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier Product Name Synonym(s) CAS No. EINECS No.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(s)

Uses advised against

Telephone

Fax

1.4

2.2

E-mail

1.3 Details of the supplier of the Safety Data Sheet Company Identification Gorilla Glue. Polyurethane Adhesive. Mixture. Mixture.

Consumer Adhesives for building, carpentry, or hobby projects. None known.

Gorilla Glue Europe Ltd. PO Box 663 Chorley PR6 PU UK 01257 241319 01257 273820 eusales@gorillaglue.com

111 +44 (0) 1257 241319 (During Business Hours) +1 651-603-3429 (Outside Business Hours)

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Emergency telephone number National Poisons Information Service

Emergency Phone No.

Regulation (EC) No. 1272/2008 (CLP)

Skin Irrit. 2; Causes skin irritation. Eye Irrit. 2; Causes serious eye irritation. Skin Sens. 1; May cause an allergic skin reaction. Resp. Sens. 1; May cause allergy or asthma symptoms or breathing difficulties if inhaled. Acute Tox. 4; Harmful if inhaled. Carc. 2; Suspected of causing cancer. STOT SE 3; May cause respiratory irritation. STOT RE 2; May cause damage to organs through prolonged or repeated exposure. According to Regulation (EC) No. 1272/2008 (CLP) Gorilla Glue.



Aromatic polyisocyanate, Isocyanic acid, polymethylene polyphenylene ester, 4,4'-Methylenediphenyl diisocyanate,

Label elements

Hazard pictogram(s)

Product Name

Signal word(s)

Hazardous Ingredient(s)



Date of Last Change: 21/05/2019

Version: 4.1

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

0% TOUGH	Hazard statement(s)	Benzene, 1,1'-methylenebisisocyanato- H315: Causes skin irritation.
		H317: May cause an allergic skin reaction.
		H319: Causes serious eve irritation.
		H332: Harmful if inhaled.
		H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
		H335: May cause respiratory irritation.
		H351: Suspected of causing cancer.
		H373: May cause damage to organs through prolonged or repeated exposure.
		EUH204: Contains isocyanates. May produce an allergic
		reaction.
	Precautionary statement(s)	P102: Keep out of reach of children.
		P260: Do not breathe mist/vapours/spray.
		P280: Wear protective gloves/protective clothing/eye
		protection/ respiratory protection.
		P302+P352: IF ON SKIN: Wash with plenty of water.
		P304 + P340: IF INHALED: Remove person to fresh air and
		keep comfortable for breathing.
		P305+P351+P338: IF IN EYES: Rinse cautiously with water
		for several minutes. Remove contact lenses, if present and
		easy to do. Continue rinsing.
		P501: Dispose of contents/container in accordance with
		local, regional, national, and international regulations.
2.3	Other hazards	None.

2.4 Additional Information For full text of H/P Statements see section 16.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	EC INDEX No.	Classification
Isocyanic acid, polymethylene polyphenylene ester polymer with 1,2- ethanediamine, methyloxirane and 1,2- propanediol	40-70	67815-87-6	None assigned	None assigned	Skin Sens. 1; H317, Resp. Sens. 1; H334, Skin Irrit. 2; H315, Eye Irrit. 2; H319, Acute Tox. 4; H332, STOT SE 3; H335, STOT RE 2; H373
4,4'-Methylenediphenyl diisocyanate	10-30	101-68-8	202-966-0	615-005-00-9	Acute Tox. 4; H332, Skin Irrit. 2; H315, Eye Irrit. 2; H319, Skin Sens. 1; H317, STOT SE 3; H335, Resp. Sens. 1; H334, Carc. 2; H351, STOT RE 2; H373 Specific Concentration Limits (C >- 0,1) Resp. Sens. 1; H334, (C >= 5) Eye Irrit. 2; H319, (C >= 5) Skin Irrit. 2;



Date of Last Change: 21/05/2019

Version: 4.1

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

TOUGH					H315, (C >= 5) STOT SE 3; H335
Isocyanic acid, polymethylene polyphenylene ester	10-22	9016-87-9	618-498-9	None assigned	Acute Tox. 2; H330, Skin Irrit. 2; H315, Eye Irrit. 2; H319, STOT SE 3; H335, Resp. Sens. 1; H334, STOT RE 2; H373
Benzene, 1,1'- methylenebisisocyanato-	1-3	26447-40-5	247-714-0	615-005-00-9	Acute Tox. 4; H332, Skin Irrit. 2; H315, Eye Irrit. 2; H319, Skin Sens. 1; H317, STOT SE 3; H335, Resp. Sens. 1; H334, Carc. 2; H351, STOT RE 2; H373 Specific Concentration Limits (C >= 0,1) Resp. Sens. 1; H334, (C >= 5) Eye Irrit. 2; H319, (C >= 5) Skin Irrit. 2; H315, (C >= 5) STOT SE 3; H335

3.3 Additional Information

For full text of H/P Statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
	General information	Do not give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell. (show the label if possible).
	Inhalation	Using proper respiratory protection, immediately move the exposed person to fresh air. Get medical attention immediately.
	Skin Contact	Remove contaminated clothing. Gently wash with plenty of soap and water. Continue to wash the affected area for at least 15 minutes. Call a POISON CENTER/doctor if you feel unwell. Wash contaminated clothing before reuse.
	Eye Contact	Flush eyes with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
	Ingestion	Rinse mouth. Do not induce vomiting. Immediately call a POISON CENTER or doctor/physician.
4.2	Most important symptoms and effects, both acute and delayed	Skin Contact: Causes skin irritation. May produce an allergic reaction.
		Eye Contact: Causes serious eye irritation.
		Inhalation: Harmful if inhaled. May cause allergy or asthma

Inhalation: Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

Ingestion: Likely to be harmful or have adverse effects. Chronic Symptoms: May cause damage to organs through prolonged or repeated exposure. Suspected of causing



Date of Last Change: 21/05/2019

Version: 4.1

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

Small fire: Foam, CO₂ or dry powder. Large fire: Alcohol-resistant foams.

cancer.

4.3 Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing Media Suitable Extinguishing Media

Unsuitable Extinguishing Media

- 5.2 Special hazards arising from the substance or mixture
- 5.3 Advice for firefighters

If water is used, it should be used in very large quantities and from a safe distance. Do not use a heavy water stream. Use of heavy stream of water may spread fire. Non-flammable. Non-explosive. The reaction between water and isocyante may be vigorous. Exothermic reaction with amines and alcohols; reacts with water forming heat, CO2, and insoluble polyurea. The combined effects of CO2 and heat can produce enough pressure to rupture a closed container. Exercise caution when fighting any chemical fire. Do not allow runoff to enter drains, sewers or watercourses. Evacuate area. Do not reseal contaminated containers; a chemical reaction generating CO2 gas pressure may occur resulting in rupture of the container. Dense smoke is emitted when product is burned without sufficient oxygen. When using water spray, boil-over may occur when product temperature reaches the boiling point of water, and the reaction forming CO2 will accelerate. Fire fighters should wear proper protective clothing including respiratory protection.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Avoid contact with skin, eyes or clothing. Avoid breathing vapours. Ensure adequate ventilation. Evacuate if necessary. Stop leak if safe to do so. Ensure suitable personal
		protection during removal of spillages.
6.2	Environmental precautions	Avoid run off to waterways and sewers.
6.3	Methods and material for containment and cleaning up	Clean up spill immediately. Cover spills with inert absorbent material. Remove mechanically but cautiously as this process can generate heat. Absorb remaining liquid in sand or inert absorbent and remove to safe place. After 15 minutes, transfer to waste container and do not seal (evolution of CO2). Keep damp in a safe ventilated area for several days. Dispose of empty containers and wastes safely.
6.4	Reference to other sections	See Also Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

General hygiene measures for the handling of chemicals are applicable. Wash (hands and exposed skin) thoroughly after handling. Do not eat, drink or smoke when using this product.

Gorilla Glue EU SDS



Date of Last Change: 21/05/2019

Version: 4.1

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

7.2 Conditions for safe storage, including any incompatibilities

> Storage Temperature Storage Life Incompatible materials

Store in a cool/low-temperature, well-ventilated (dry) place. Keep away from: heat and alcohols, amines or other materials that react with isocyanates. Keep out of reach of children and animals. Keep container closed when not in use. Store locked up. Ambient. Stable under normal conditions. Acids, Alkalis, Strong oxidising agents, Amines, Alcohols.

7.3 Specific end use(s)

Consumer Adhesives for building, carpentry, or hobby projects.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m ³)	Note
Isocyanic acid, polymethylene polyphenylene ester polymer with 1,2-ethanediamine, methyloxirane and 1,2- propanediol	67815-87-6					None assigned
4,4'-Methylenediphenyl diisocyanate	101-68-8					None assigned
Isocyanic acid, polymethylene polyphenylene ester	9016-87-9					None assigned
Benzene, 1,1'- methylenebisisocyanato-	26447-40-5					None assigned

- 8.1.2 Biological limit value
- 8.1.3 PNECs and DNELs
- 8.2 Exposure controls
- 8.2.1 Appropriate engineering controls
- 8.2.2 Personal protection equipment Eye/face protection



Not established.


Not established.

Provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Guarantee that the eye flushing systems and safety showers are located close to the working place.

Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)

Wear protective clothing and gloves: Chemically resistant materials and fabrics.



Date of Last Change: 21/05/2019

Version: 4.1

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

Respiratory protection



Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.

Thermal hazards8.2.3Environmental Exposure Controls

Not applicable. Avoid run off to waterways and sewers.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties Appearance Colour Odour Odour Threshold pН Melting Point/Freezing Point Initial boiling point and boiling range Flash Point Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density Density (g/cm3) Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity Explosive properties Oxidising properties Other information

Liquid. Brown. Earthy, Musty. No data. Not applicable. No data. 208°C (406,40°F) > 93°C (199,4°F) [Closed cup] No data. No data. Not applicable. < 0,0001 mm Hg @ 25°C (Isocyanates) No data. 1,14 (Water = 1) 1,14 @ 20°C Insoluble in water. No data. No data. No data. 4000 - 7000 mPa•s @ 25°C No data. No data. None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	Exothermic reaction with amines and alcohols; reacts with water forming heat, CO2, and insoluble polyurea.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	Hazardous polymerisation will not occur.
		No hazardous reactions known if used for its intended purpose.
10.4	Conditions to avoid	Keep away from heat, sources of ignition and direct sunlight. Protect from freezing.
10.5	Incompatible materials	Acids, Alkalis, Strong oxidising agents, Amines, Alcohols.
10.6	Hazardous Decomposition Product(s)	Oxides of carbon, MDI vapour, Nitrogen compounds,
		Cyanides, Isocyanates.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Gorilla Glue EU SDS

9.2



Date of Last Change: 21/05/2019

Version: 4.1

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

TOUGH		
100	Acute toxicity	Harmful if inhaled.
		ATE (CLP) (4 hour(s)) = 1500 mg/l
	Oral	Benzene, 1,1'-methylenebisisocyanato-:
		LD50 (rat) = > 7400 mg/kg
	Dermal	Benzene, 1,1'-methylenebisisocyanato-:
		LD50 (rabbit) = > 6200 mg/kg
	Inhalation	Isocyanic acid, polymethylene polyphenylene ester:
		LC50 (rat) (4 hour(s)) = 490 mg/m ³
		Benzene, 1,1'-methylenebisisocyanato-:
		LC50 (rat) (4 hour(s)) = 0.369 mg/m ³
		Original Gorilla Glue is composed of both 4,4'-
		Methylenediphenyl diisocyanate (MDI) and Isocyanic acid,
		polymethylene polyphenylene ester (PMDI). However,
		product data has demonstrated that, during consumer use,
		airborne concentrations of MDI/PMDI were nondetectable.
		Based on this data, Original Gorilla Glue does not warrant
		an acute inhalation hazard classification.
	Skin corrosion/irritation	Causes skin irritation.
	Serious eye damage/irritation	Causes serious eye irritation.
	Respiratory or skin sensitisation	May cause allergy or asthma symptoms or breathing
		difficulties if inhaled. May cause an allergic skin reaction.
	Germ cell mutagenicity	Not classified.
	Carcinogenicity	Suspected of causing cancer.
	Reproductive toxicity	Not classified.
	STOT - single exposure	May cause respiratory irritation.
	STOT - repeated exposure	May cause damage to organs through prolonged or
	Assistion horord	repeated exposure. Not classified.
11.2	Aspiration hazard Other information	Not classified.
11.2		NUTE.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Low toxicity to aquatic organisms.
		Benzene, 1,1'-methylenebisisocyanato-:
		NOEC(Acute)(14 days) = ≥ 1000 mg/kg.
12.2	Persistence and degradability	Biodegradation (0% @ 28 days).
12.3	Bioaccumulative potential	The product has no potential for bioaccumulation.
		Benzene, 1,1'-methylenebisisocyanato-:
		Bioconcentration factor (BCF)(Fish) = $3 - 14$.
12.4	Mobility in soil	Insoluble in water. The product is predicted to have low
		mobility in soil.
12.5	Results of PBT and vPvB assessment	No information available.
12.6	Other adverse effects	Avoid release to the environment.

13. SECTION 13: DISPOSAL CONSIDERATIONS

5	
5	

13.2 Additional Information

Dispose of wastes in an approved waste disposal facility. Disposal should be in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous for transport.

```
14.1 UN number
```

14.2 UN Proper Shipping Name

Not applicable. Not applicable.

Gorilla Glue EU SDS



Date of Last Change: 21/05/2019

Version: 4.1

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

nsport hazard class(es) Not applicable. 14.4 **Packing Group** Not applicable. 14.5 **Environmental hazards** Not applicable. 14.6 Special precautions for user Not applicable. 14.7 Transport in bulk according to Annex II of Not applicable. Marpol and the IBC Code **15. SECTION 15: REGULATORY INFORMATION** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1 EU regulations Authorisations and/or restrictions on use Candidate List of Substances of Very High Concern All chemicals are not listed. for Authorisation REACH: ANNEX XIV list of substances subject to All chemicals are not listed. authorisation REACH: Annex XVII Restrictions on the Gorilla Glue manufacture, placing on the market and use of 4,4'-Methylenediphenyl diisocyanate (CAS No.: 101-68-8) certain dangerous substances, mixtures and articles 56. Methylenediphenyl diisocyanate (MDI) 56.a.Methylenediphenyl diisocyanate (MDI) isomers: 4,4'-Methylenediphenyl diisocyanate Community Rolling Action Plan (CoRAP) All chemicals are not listed. 15.1.2 National regulations None known.

Not applicable.

15.2 Chemical Safety Assessment

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 3, 15

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
Eye Irrit. 2	Serious eye damage/irritation Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Acute Tox. 2	Acute toxicity Category 2
Acute Tox. 4	Acute toxicity Category 4
Skin Sens. 1	Respiratory/skin sensitisation Category 1
Resp. Sens. 1	Respiratory/skin sensitisation Category 1
Carc. 2	Carcinogenicity Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3
STOT RE 2	Specific target organ toxicity — repeated exposure Category 2

Hazard statement(s)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.



Date of Last Change: 21/05/2019

Version: 4.1

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

Disclaimers

The information presented in this Safety Data Sheet was prepared by qualified personnel and to the best of our knowledge is true and accurate. The information and recommendations are furnished for this product with the understanding that the purchaser will independently determine the suitability of the product for this purpose. This data does not constitute a warranty, expressed or implied, statutory or otherwise, nor is it representation for which The Gorilla Glue Company assumes legal responsibility. The data is submitted for the user's information and consideration only. Any use of this product must be determined by the user to be in accordance with applicable federal, state, provincial and local laws and regulations.

Annex to the extended Safety Data Sheet (eSDS)

Not applicable.