

## SAFETY DATA SHEET DUNLOP LARGE FORMAT AND NATURAL STONE ADHESIVE GREY

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	DUNLOP LARGE FORMAT AND NATURAL STONE ADHESIVE GREY
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Identified uses	Cement based adhesive.
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of the safety data sheet	
Supplier	BUILDING ADHESIVES LTD Longton Road, Trentham, Stoke-on-Trent ST4 8JB 01782 591100
Contact person	sdsreply@building-adhesives.com
1.4. Emergency telephone nu	mber
Emergency telephone	01865 407 333 (24hr)
SECTION 2: Hazards identific	ation
2.1. Classification of the subst	
Classification (EC 1272/2008) Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335
Environmental hazards	Not Classified
Human health	When the cement based powder is mixed with water or admixture, a strongly alkaline paste is produced. Cement based products may, until set, cause both irritant and allergic contact dermatitis. Irritrant contact dermatitis is due to a combination of the wetness, alkalinity and abrasiveness of the constituent materials. Allergic contact dermatitis is caused mainly by the sensitivity of the individual's skin to hexavalent chromium salts. Corrosive. Prolonged contact causes serious eye and tissue damage.
Environmental	The product is not expected to be hazardous to the environment.
2.2. Label elements	
Pictogram	Dangor
Signal word	Danger

Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P261 Avoid breathing dust.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>
Contains	ORDINARY PORTLAND CEMENT, CALCIUM SULFOALUMINATE CEMENT

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

ORDINARY PORTLAND CEMEN	іт	10-30%
CAS number: 65997-15-1	EC number: 266-043-4	
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
		E 40%
CALCIUM SULFOALUMINATE CEMENT		5-10%
CAS number: 12004-14-7		
Classification		
<b>Classification</b> Skin Irrit. 2 - H315		
Skin Irrit. 2 - H315		

**Composition comments** This product contains a reducing agent to ensure that the CrVI content of the cement in the product remains below 2ppm during the defined shelf life of the product.

#### SECTION 4: First aid measures

4.1. Description of first aid measures		
General information	Get medical attention if any discomfort continues.	
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.	
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately.	
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.	

SECTION 7: Handling and storage	
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. For waste disposal, see section 13.
6.4. Reference to other section	
Methods for cleaning up	Avoid contact with skin or inhalation of spillage, dust or vapour. Dampen spillage with water. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.
6.3. Methods and material for	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
6.2. Environmental precaution	s
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.1. Personal precautions, pro	tective equipment and emergency procedures
SECTION 6: Accidental release	e measures
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
5.3. Advice for firefighters Protective actions during firefighting	No specific firefighting precautions known. Avoid breathing fire gases or vapours.
Hazardous combustion products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).
	mg/m3. Oxides of carbon. Oxides of nitrogen. No unusual fire or explosion hazards noted.
5.2. Special hazards arising from Specific hazards	Protection against nuisance dust must be used when the airborne concentration exceeds 10
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.1. Extinguishing media	The product is not flopmable. Los fire outinguishing modio suitable for the surrounding for
SECTION 5: Firefighting meas	sures
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
	te medical attention and special treatment needed
Eye contact	May cause severe eye irritation. May cause blurred vision and serious eye damage.
Skin contact	May cause serious chemical burns to the skin.
Ingestion	May cause chemical burns in mouth and throat.
Inhalation	Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.
	and effects, both acute and delayed
	lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
Eye contact	Remove affected person from source of contamination. Do not rub eye. Remove any contact

7.1. Precautions for safe har	Idling
Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid handling which leads to dust formation.
7.2. Conditions for safe stora	ge, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Contr	rols/personal protection
8.1. Control parameters	
Occupational exposure limits	
ORDINARY PORTLAND CE	
Long-term exposure limit (8- Long-term exposure limit (8-	, <b>-</b>
Long-term exposure limit (8-	
Long-term exposure limit (8- WEL = Workplace Exposure	
Ingredient comments	WEL = Workplace Exposure Limits
	LITHIUM CARBONATE (CAS: 554-13-2)
DNEL	<ul> <li>Inhalation; Long term systemic effects: 10 mg/m<sup>3</sup></li> <li>Dermal; Long term systemic effects: 64 mg/kg/day</li> </ul>
PNEC	- Fresh water; Intermittent release 0.9 mg/l
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Wear a suitable dust mask. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.	
Thermal hazards	Not applicable.	
Environmental exposure controls	Avoid release to the environment.	
SECTION 9: Physical and Che	emical Properties	
9.1. Information on basic phys	ical and chemical properties	
Appearance	Dusty powder.	
Colour	Grey.	
Odour	Odourless.	
рН	pH (concentrated solution): pH12-13 after mixing	
Melting point	Not applicable.	
Initial boiling point and range	Not applicable.	
Solubility(ies)	Slightly soluble in water.	
9.2. Other information		
Other information	No information required.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not determined.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid contact with acids. Water, moisture.	
10.5. Incompatible materials		
Materials to avoid	Acids - oxidising.	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).	
SECTION 11: Toxicological information		
11.1. Information on toxicologi	ical effects	
Skin corrosion/irritation		
Skin corrosion/irritation	Severe skin irritation.	
Extreme pH	≥ 11.5	
Serious eye damage/irritation		

Serious eye damage/irritation	Severely irritating to skin. Irritation of eyes is assumed. No testing is needed.
Respiratory sensitisation Respiratory sensitisation	Not known.
Skin sensitisation Skin sensitisation	May cause sensitisation or allergic reactions in sensitive individuals.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	There is no evidence that the product can cause cancer.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Specific target organ toxicity -	
STOT - single exposure	Based on available data the classification criteria are not met.
Specific target organ toxicity -	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Not relevant.
Inhalation	May cause respiratory system irritation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Harmful: danger of serious damage to health by prolonged exposure through inhalation.
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.
Skin contact	The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	Risk of serious damage to eyes. May cause chemical eye burns.
Acute and chronic health hazards	Repeated exposure in excess of the WEL has been linked with rhinitis and coughing. Skin exposure has been linked to allergic chromium dermatitis.
SECTION 12: Ecological Infor	mation
Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
12.1. Toxicity	
Toxicity	The product is not expected to be hazardous to the environment (LC50 aquatic toxicity rating not determined). The addition of cement based product to water will, however, cause the pH to rise and may, therefore, be toxic to aquatic life in some circumstances.
12.2. Persistence and degrada	ability
Persistence and degradability	Not relevant. After hardening, cement presents no toxicity risks.
12.3. Bioaccumulative potentia	al
Bioaccumulative potential	The product is not bioaccumulating.

12.4 Mobility in soil		
<u>12.4. Mobility in soil</u> Mobility	The product is non-volatile. The product is insoluble in water and will sediment in water	
	systems.	
12.5. Results of PBT and vPvI	B assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	lerations	
13.1. Waste treatment method	<u>ts</u>	
Disposal methods	Product that has exceeded defined shelf life should be treated with a reducing agent or disposed of according to the National or Devolved Administration legislation. For small spillages, isolate spillage then harden with water before disposing in accordance with National or Devloved Administration legislation.	
SECTION 14: Transport inform	nation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
Road transport notes	Not classified.	
Rail transport notes	Not classified.	
Sea transport notes	Not classified.	
Air transport notes	Not classified.	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping nam		
Not applicable.		
14.3. Transport hazard class(e	əs)	
Not applicable.		
Transport labels No transport warning sign required.		
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user		
Not applicable.		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Safety Data Sheets for Substances and Preparations. Approved Classification and Labelling Guide (Sixth edition) L131.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision comments	1
Issued by	Technical Manager
Revision date	07/12/2017
Hazard statements in full	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.