

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

EVO-STIK CEILING COVING TILE ADHESIVE

Supercedes Date: 05-Jul-2017

Revision Date 10-Aug-2017 Version 1.01

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No

1907/2006

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name EVO-STIK CEILING COVING TILE ADHESIVE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Signal Word

No signal word

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children

P281 - Use personal protective equipment as required

2.3. Other Hazards

EVO-STIK CEILING COVING TILE ADHESIVE

Supercedes Date: 05-Jul-2017 Version 1.01

Revision Date 10-Aug-2017

General Hazards

No information available.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Diethylene glycol monobutyl ether	203-961-6	112-34-5	0.1 - <1	Eye Irrit. 2 (H319)		01-2119475104-44 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

reathing.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. In the case of skin

irritation or allergic reactions see a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Do not rub affected area. If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. If symptoms persist, call a doctor.

Self-protection of the first aider Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local

EVO-STIK CEILING COVING TILE ADHESIVE

Supercedes Date: 05-Jul-2017 Version 1.01

Revision Date 10-Aug-2017

circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None known

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Evacuate personnel to safe areas. Use personal protection recommended in Section 8.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Keep people away from and upwind of spill/leak.

6.3. Methods and material for containment and cleaning up

Methods for Containment Stop leak if you can do it without risk.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labelled

containers. After cleaning, flush away traces with water. Prevent product from entering

drains.

6.4. Reference to other sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Do not re-use container.

General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing.

7.3. Specific end use(s)

OTHER INFORMATION

Recommendation(s). Observe technical data sheet.

EVO-STIK CEILING COVING TILE ADHESIVE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Supercedes Date: 05-Jul-2017

Chemical Name	European Union	Ireland	United Kingdom
Limestone	-	TWA: 10 mg/m ³	STEL: 30 mg/m ³
1317-65-3		TWA: 4 mg/m ³	STEL: 12 mg/m ³
		STEL: 30 mg/m ³	TWA: 10 mg/m ³
		STEL: 12 mg/m ³	TWA: 4 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined **Engineering Controls**

areas. Use explosion-proof ventilating equipment.

Personal Protective Equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing. **Skin and Body Protection**

Not applicable for liquids

Respiratory Protection During spraying wear suitable respiratory equipment.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid Paste **Appearance** Colour White

Odour Characteristic No information available

Remarks • Method Property

pН No information available Melting point/freezing point No information available **Boiling Point** No information available **Flash Point** No information available

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Odour Threshold

Upper Flammability Limit No information available Lower Flammability Limit No information available **Vapour Pressure** No information available **Vapour Density** No information available **Relative Density** No information available **Water Solubility** No information available Solubility in Other Solvents No information available No information available **Partition Coefficient Autoignition Temperature** No information available **Decomposition Temperature** No information available

No information available **Explosive Properties** No information available **Explosive Limits** No information available Upper Lower No information available **Oxidising Properties** No information available Revision Date 10-Aug-2017

Version 1.01

EVO-STIK CEILING COVING TILE ADHESIVE

Supercedes Date: 05-Jul-2017

Version 1.01

Revision Date 10-Aug-2017

Kinematic Viscosity No information available

Dynamic Viscosity No information available

9.2. Other information

Softening Point No information available **Molecular Weight** No information available Solvent content (%) No information available Solid content (%) No information available

Density 1.62

No Data Available **Bulk Density**

VOC content (%)

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

None known.

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

No Data Available. Inhalation No Data Available. **Eve contact** Skin Contact No Data Available. No Data Available. Ingestion No Data Available. Sensitisation

EVO-STIK CEILING COVING TILE ADHESIVE

Supercedes Date: 05-Jul-2017

Version 1.01

Revision Date 10-Aug-2017

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation Not applicable.

Serious eye damage/eye irritation Not applicable.

Sensitisation Not applicable.

Germ Cell Mutagenicity Not applicable.

Carcinogenicity Not applicable.

Reproductive Toxicity No information available.

STOT - Single Exposure No information available.

STOT - Repeated Exposure No information available.

Target Organ Effects Eyes, Respiratory system, Skin.

Aspiration Hazard No information available.

Numerical measures of toxicity

Acute Toxicity

Component Information

Toxicity Data No information available

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity No information available

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Diethylene glycol	EC50 96 h > 100 mg/L	LC50 96 h = 1300 mg/L	EC50 48 h > 100 mg/L	
monobutyl ether	(Desmodesmus subspicatus)	(Lepomis macrochirus static)	(Daphnia magna) EC50 24 h	
112-34-5			= 2850 mg/L (Daphnia magna	
)	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

EVO-STIK CEILING COVING TILE ADHESIVE

Supercedes Date: 05-Jul-2017 Version 1.01

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Improper disposal or reuse of this container may be dangerous and illegal. **Contaminated Packaging**

OTHER INFORMATION Waste codes should be assigned by the user based on the application for which the

product was used.

Section 14: TRANSPORTATION INFORMATION

ADR

Products

14.1	UN/ID no	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	Environmental Hazard	Not applicable

14.6 Special Provisions None

IMDG

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Np
14.6 Special Provisions	None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

RID	
14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

ICAO (air)

14.1	UN/ID no	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	Environmental Hazard	Not applicable

Revision Date 10-Aug-2017

EVO-STIK CEILING COVING TILE ADHESIVE

Supercedes Date: 05-Jul-2017 Version 1.01

14.6 Special Provisions None

IATA

14.1 UN/ID noNot regulated14.2 Proper Shipping NameNot regulated14.3 Hazard ClassNot regulated14.4 Packing GroupNot regulated14.5 Environmental HazardNot applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
Diethylene glycol monobutyl ether	112-34-5	55.

CAS 112-34-5 restricted for use in aerosol products sold to general public. Products for general public with level above 3% should be labeled "Do not use in paint spraying equipment".

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

None

Revision Date 10-Aug-2017

EVO-STIK CEILING COVING TILE ADHESIVE

Supercedes Date: 05-Jul-2017 Version 1.01

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorisation:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL

Ceiling Maximum limit value * Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 10-Aug-2017

Indication of changes

Revision Note Not applicable.

Training Advice No information available

Additional information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Revision Date 10-Aug-2017

STEL (Short Term Exposure Limit)