



## SAFETY DATA SHEET

JETCEM PREMIX

Page 1

Issued: 16/09/2008

Revision No: 1

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** JETCEM PREMIX  
**Company name:** EVERBUILD BUILDING PRODUCTS LTD  
SITE 41, KNOWSTHORPE WAY  
CROSS GREEN INDUSTRIAL ESTATE  
LEEDS  
WEST YORKSHIRE  
LS9OSW  
ENGLAND  
Tel: 0044 113 240 3456  
Fax: 0044 113 240 0024  
Emergency tel: 0044 113 240 3456 (office hours only)  
Email: paul@everbuild.co.uk

### 2. HAZARDS IDENTIFICATION

**Main hazards:** Risk of serious damage to eyes.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** HIGH ALUMINA CEMENT 1-10%  
CAS: 65997-16-2  
[Xi] R41; [-]; [-]  
• ORDINARY PORTLAND CEMENT 30-50%  
CAS: 65997-15-1  
[Xi] R41; [-]; [-]

### 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be mild irritation at the site of contact.  
**Eye contact:** There may be irritation and pain.  
**Ingestion:** There may be soreness and redness of the mouth and throat.  
**Inhalation:** There may be coughing and a sore throat.

### 4. FIRST AID MEASURES (ACTION)

**Skin contact:** Wash immediately with plenty of soap and water.  
**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.  
**Ingestion:** Wash out mouth with water. Consult a doctor.  
**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

### 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used.  
**Protection of fire-fighters:** Wear protective clothing to prevent contact with skin and eyes.

[cont...]

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Do not create dust.

**Clean-up procedures:** Clean spillage area thoroughly with plenty of water.

**7. HANDLING AND STORAGE**

**Handling requirements:** Avoid creation of dust cloud

**Storage conditions:** Avoid contact with water or humidity.

**Suitable packaging:** Must only be kept in original packaging.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Hazardous ingredients:** ORDINARY PORTLAND CEMENT

WEL (8 hr TWA): 10mg/m<sup>3</sup>

**Respirable dust:** ORDINARY PORTLAND CEMENT

WEL (8 hr TWA): 5mg/m<sup>3</sup>

**Engineering measures:** Non required

**Respiratory protection:** Respiratory protection not required. in normal use.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses.

**Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Solid

**Colour:** Grey

**Odour:** Odourless

**Solubility in water:** Miscible

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Moist air.

**Materials to avoid:** Acids. Oxidising agents.

**11. TOXICOLOGICAL INFORMATION****12. ECOLOGICAL INFORMATION**

**Mobility:** Non-volatile.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**13. DISPOSAL CONSIDERATIONS**

**Disposal of packaging:** Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID****IMDG / IMO****IATA / ICAO****15. REGULATORY INFORMATION**

**Hazard symbols:** Irritant.



**Risk phrases:** R41: Risk of serious damage to eyes.

**Safety phrases:** S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S39: Wear eye / face protection.

S46: If swallowed, seek medical advice immediately and show this container or label.

HIGH ALUMINA CEMENT; ORDINARY PORTLAND CEMENT

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Risk phrases used in s.3:** R41: Risk of serious damage to eyes.

Contact with wet cement, wet concrete or wet mortar may cause irritation, dermatitis or burns.

Contact between cement powder and body fluids (eg sweat and eye fluid) may also cause skin and respiratory irritation, dermatitis or burns.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.