1 / 3

SDS No.: 15847



# SAFETY DATA SHEET SEALOREND (SEALOCRETE)

# 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME

SEALOREND (SEALOCRETE)

PRODUCT NO.

187634, 187641, 187658

SUPPLIER

BOSTIK LIMITED COMMON ROAD

STAFFORD

STAFFORDSHIRE ST16 3EH

+44 1785 255141 +44 1785 272650

**EMERGENCY TELEPHONE** 

+44 1785 255141 +44 1785 272650

# 2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification	
TASSIUM HYDROXIDE	215-181-3	1310-58-3	1.4%	C;R35 Xn;R22	

The Full Text for all R-Phrases are Displayed in Section 16

#### 3 HAZARDS IDENTIFICATION

Irritating to eyes and skin.

CLASSIFICATION

XI;R36/38.

### 4 FIRST-AID MEASURES

#### INHALATION

Remove victim immediately from source of exposure. Move the exposed person to fresh air at once. Get medical attention.

#### INGESTION

DO NOT Induce vomiting. Get medical attention immediately.

#### SKIN CONTACT

Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if irritation persists after washing.

#### EYE CONTACT

Rinse the eye with water immediately. Continue to rinse for at least 15 minutes and get medical attention.

# **5 FIRE-FIGHTING MEASURES**

# EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Use: Foam, carbon dioxide or dry powder.

# **6 ACCIDENTAL RELEASE MEASURES**

# SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers.

# 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

# STORAGE PRECAUTIONS

Store at moderate temperatures in dry, well ventilated area.

**REVISION DATE: April 2007** 

# SEALOREND (SEALOCRETE)

SDS No.: 15847

# 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
POTASSIUM HYDROXIDE	WEL				2 mg/m3

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

PROTECTIVE EQUIPMENT





ENGINEERING MEASURES

Provide adequate ventilation.

RESPIRATORY EQUIPMENT

If ventilation is insufficient, suitable respiratory protection must be provided.

HAND PROTECTION

Protective gloves must be used if there is a risk of direct contact or splash.

EYE PROTECTION

Wear splash-proof eye goggles to prevent any possibility of eye contact.

HYGIENE MEASURES

Wash promptly if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Liquid

COLOUR

Orange Red

ODOUR

Odourless

SOLUBILITY

Soluble in water.

VISCOSITY

Non-viscous

## 10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

### 11 TOXICOLOGICAL INFORMATION

SKIN CONTACT

Irritating to skin.

EYE CONTACT

Irritating to eyes.

# 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

Not regarded as dangerous for the environment.

# 13 DISPOSAL CONSIDERATIONS

### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

### 14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/R(D).

**REVISION DATE: April 2007** 

# SEALOREND (SEALOCRETE)

SDS No.: 15847

No transport warning sign required.

MARINE POLLUTANT

No.

# 15 REGULATORY INFORMATION

### LABELLING



Irritant

\$26

S46

S56

RISK PHRASES

R36/38 Irritating to eyes and skin.

SAFETY PHRASES

\$24/25 Avoid contact with skin and eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

If swallowed, seek medical advice immediately and show this container or label.

Dispose of this material and its container to hazardous or special waste collection point.

S64 If swallowed, rinse mouth with water (only if the person is conscious).

#### STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

#### APPROVED CODE OF PRACTICE

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

#### GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

### 16 OTHER INFORMATION

#### GENERAL INFORMATION

This product should be used as directed by Bostik Ltd. For further information consult the product data sheet or contact Technical Services.

## INFORMATION SOURCES

This safety data sheet was compiled using current safety information supplied by distributor of raw materials.

#### REVISION COMMENTS

This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact Bostik Limited.

ISSUED BY

Approved ID

REVISION DATE April 2007

REV. NO./REPL. SDS GENERATED 2

DATE October 2006

RISK PHRASES IN FULL

R22 Harmful if swallowed.

R35 Causes severe burns.