

**EVO-STIK FLOOR SMOOTHING COMPOUND**  
 Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018  
 Revision Number 1.01

**Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**1.1. Product Identifier**

**Product Name** EVO-STIK FLOOR SMOOTHING COMPOUND  
**Pure substance/mixture** Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Recommended use** Building and construction work.  
**Uses advised against** None known

**1.3. Details of the supplier of the safety data sheet**
**Company Name**

Bostik Limited  
 Common Rd  
 ST16 3EH  
 Stafford UK  
 Tel: +44 (1785) 27 26 25  
 Fax: +44 (1785) 25 72 36

**E-mail address** SDS.box-EU@bostik.com

**1.4. Emergency telephone number**

<b>United Kingdom</b>	+44 (1785) 272650
<b>Ireland</b>	+353 (1) 8624900 (Monday- Friday 9am-5pm)

**Section 2: HAZARDS IDENTIFICATION**
**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

<b>Skin Corrosion/Irritation</b>	Category 2 - (H315)
<b>Serious eye damage/eye irritation</b>	Category 1 - (H318)
<b>Skin sensitisation</b>	Category 1 - (H317)

**2.2. Label Elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Contains Cement, portland, chemicals



**Signal Word**  
 DANGER

**Hazard statements**

# Safety Data Sheet

**EVO-STIK FLOOR SMOOTHING COMPOUND**  
**Supersedes Date:** 25-May-2018

**Revision Date** 22-Jun-2018  
**Revision Number** 1.01

H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage

## Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P260 - Do not breathe dust  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P315 - Get immediate medical advice/attention  
P362 + P364 - Take off contaminated clothing and wash it before reuse  
P402 + P404 - Store in a dry place. Store in a closed container  
P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other Hazards

### General Hazards

Product dust may be irritating to eyes, skin and respiratory system. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.

### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Mixture

### 3.2 Mixtures

Chemical Name	EC No.	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	40 - <80	^		Exempt
Limestone	215-279-6	1317-65-3	>25 - <40	^		Exempt (N)
Cement, portland, chemicals	266-043-4	65997-15-1	10 - <20	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317)		No data available
Cement, alumina, chemicals	266-045-5	65997-16-2	1 - <5	^		Exempt
Calcium sulfate	231-900-3	7778-18-9	1- <2.5	^		01-2119444918-26 -XXXX
Sulphonated melamine formaldehyde polymer	-	UNKNOWN	0.1 - <1	^		Exempt(P)
Lithium carbonate	209-062-5	554-13-2	0.01 - <0.1	Eye Irrit. 2 (H319) Acute Tox. 4 (H302)		01-2119516034-53 -XXXX
(+)-Tartaric acid	201-766-0	87-69-4	0.01 - <0.1	Eye Dam. 1 (H318)		01-2119537204-47 -XXXX
Defoaming agents on silica	-	UNKNOWN	0.01 - <0.1	^		No data available

# Safety Data Sheet

**EVO-STIK FLOOR SMOOTHING COMPOUND**  
**Supersedes Date:** 25-May-2018

**Revision Date** 22-Jun-2018  
**Revision Number** 1.01

Non hazardous components	-	UNKNOWN	0.01 - <0.1	^		No data available
Vinylacetate-vertastic ester copolymer	-	9070-52-4	0.01 - <0.1	^		Exempt(P)
Cellulose, 2-hydroxyethyl methyl ether	-	9032-42-2	0.01 - <0.1	^		Exempt(P)
Acetic acid ethenyl ester, polymer with ethene and ethenol	-	26221-27-2	0.01 - <0.1	^		Exempt(P)
Polyethylene glycol phenyl ether phosphate	-	39464-70-5	0.01 - <0.1	Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		No data available
Polycarboxylic acid construction additive	-	UNKNOWN	0.01 - <0.1	^		No data available
Kaolin	310-194-1	1332-58-7	0.0015 - <0.01	^		Exempt(N)
Vinyl acetate-Vinyl alcohol polymer	-	25213-24-5	0.0015 - <0.01	^		Exempt(P)
Acetic acid ethenyl ester based copolymers	-	UNKNOWN	0.0015 - <0.01	^		Exempt(P)
Sulfuric acid, tin(2+) salt (1:1)	231-302-2	7488-55-3	0.0015 - <0.01	STOT SE 3 (H335) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Chronic 2(H411) Acute Tox. 4 (H332)		01-2119560591-39 -XXXX
Water	231-791-2	7732-18-5	<0.0015	^		Exempt
Formaldehyde	200-001-8	50-00-0	<0.0015	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350)	Eye Irrit. 2 :: 5%<=C<25% Skin Corr. 1B :: C>=25% Skin Irrit. 2 :: 5%<=C<25% Skin Sens. 1 :: C>=0.2% STOT SE 3 :: C>=5%	01-2119488953-20 -XXXX

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove to fresh air. If symptoms persist, call a doctor.
<b>Skin Contact</b>	Brush off loose particles from skin. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a doctor.
<b>Eye contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
<b>Ingestion</b>	If swallowed, do not induce vomiting: seek medical advice immediately and show this

# Safety Data Sheet

EVO-STIK FLOOR SMOOTHING COMPOUND  
Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018  
Revision Number 1.01

container or label.

**Self-Protection of the First Aider** Use personal protective equipment as required.

## **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms** Causes severe skin burns and eye damage. May cause allergic skin reaction.

## **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to doctors** May cause sensitisation of susceptible persons. Treat symptomatically.

## **Section 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### **Suitable Extinguishing Media**

Use extinguishing agent suitable for type of surrounding fire.

#### **Unsuitable Extinguishing Media**

None known

### **5.2. Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

**Hazardous Combustion Products** Carbon oxides.

### **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective suit.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **Personal Precautions**

Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and eye/face protection.

#### **For emergency responders**

Use personal protection recommended in Section 8.

### **6.2. Environmental precautions**

Prevent entry into waterways, sewers, basements or confined areas. Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological Information.

### **6.3. Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Avoid creating dust. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust.

### **6.4. Reference to other sections**

**Reference to other sections** Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 13: DISPOSAL CONSIDERATIONS

## **Section 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

# Safety Data Sheet

EVO-STIK FLOOR SMOOTHING COMPOUND  
Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018  
Revision Number 1.01

## Advice on safe handling

Avoid contact with skin and eyes. Avoid generation of dust. Wash contaminated clothing before reuse.

## General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

## 7.2. Conditions for safe storage, including any incompatibilities

### Storage Conditions

Keep out of the reach of children. Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Protect from moisture. Keep from freezing.

## 7.3. Specific end use(s)

### Other Information

Recommendation(s). Observe technical data sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Chemical Name	European Union	Ireland	United Kingdom
Quartz 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> respirable
Limestone 1317-65-3	-	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup> inhalable dust STEL: 12 mg/m <sup>3</sup> respirable dust TWA: 10 mg/m <sup>3</sup> inhalable dust TWA: 4 mg/m <sup>3</sup> respirable dust
Cement, portland, chemicals 65997-15-1	-	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup> inhalable dust STEL: 12 mg/m <sup>3</sup> respirable dust TWA: 10 mg/m <sup>3</sup> inhalable dust TWA: 4 mg/m <sup>3</sup> respirable dust
Calcium sulfate 7778-18-9	-	TWA: 10 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>	-

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

### Personal Protective Equipment

#### Eye/Face Protection

Tight sealing safety goggles. Face protection shield.

#### Hand Protection

Wear protective gloves. Gloves made of plastic or rubber. Gloves should be replaced regularly and if there is any sign of damage to the glove material.

#### Skin and Body Protection

Avoid contact with skin, eyes or clothing. Wear appropriate personal protective clothing to prevent skin contact.

#### Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid generation of dust.

#### Recommended filter type:

Particle filter device (DIN EN 143).

**Environmental Exposure Controls** Do not allow into any sewer, on the ground or into any body of water.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Physical State** Solid  
**Appearance** Powder

# Safety Data Sheet

**EVO-STIK FLOOR SMOOTHING COMPOUND**  
Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018  
Revision Number 1.01

Colour	Grey
Odour	No information available
Odour Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	11 - 12	pH (as aqueous solution)
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability or explosive limits	No information available	
Lower flammability or explosive limits	No information available	
Vapour Pressure	No information available	
Vapour Density	No information available	
Relative Density	1.6	
Water Solubility	No information available	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
<b>9.2. Other information</b>		
Softening Point	No information available	
Molecular Weight	No information available	
Solvent content (%)	No information available	
Solid content (%)	100	
Density	No data available	
Bulk Density	No data available	
VOC content (%)		

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None under normal use conditions.

### 10.2. Chemical stability

Stable under normal conditions.

#### Explosion Data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

### 10.3. Possibility of hazardous reactions

#### Possibility of Hazardous Reactions

None under normal processing.

### 10.4. Conditions to avoid

Protect from moisture.

### 10.5. Incompatible materials

# Safety Data Sheet

EVO-STIK FLOOR SMOOTHING COMPOUND  
Supercedes Date: 25-May-2018

Revision Date 22-Jun-2018  
Revision Number 1.01

No information available.

## 10.6. Hazardous decomposition products

None under normal use conditions.

## **Section 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

##### **Product Information**

No information or data specific to the product on this toxicological (health) effect is available.

<b>Inhalation</b>	Causes burns.
<b>Eye contact</b>	Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin Contact</b>	Irritating to skin.
<b>Ingestion</b>	Causes burns.
<b>Sensitisation</b>	May cause sensitisation by skin contact.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin Corrosion/Irritation</b>	Not applicable.
<b>Serious eye damage/eye irritation</b>	Not applicable.
<b>Sensitisation</b>	Not applicable.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	No information available.
<b>STOT - Single Exposure</b>	No information available.
<b>STOT - Repeated Exposure</b>	No information available.
<b>Target Organ Effects</b>	Eyes, Lungs, Respiratory system, Skin.
<b>Aspiration hazard</b>	No information available.

#### Numerical measures of toxicity

##### **Acute Toxicity**

#### Component Information

**Toxicity Data** Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rat)	LD50 >2000 mg/Kg	-

## **Section 12: ECOLOGICAL INFORMATION**

# Safety Data Sheet

**EVO-STIK FLOOR SMOOTHING COMPOUND**  
**Supersedes Date:** 25-May-2018

**Revision Date** 22-Jun-2018  
**Revision Number** 1.01

## 12.1. Toxicity

**Ecotoxicity** No information available

## Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmodesmus subspicatus)	CL50 (96h) >10000mg/L Fish (Oncorhynchus mykiss)	CE50 (48h) >1000 mg/L Daphnia Magna	
Cement, alumina, chemicals 65997-16-2	EC50 (72h) Algae (Pseudokirchneriella subcapitata) >5.6mg/L	LC50 (96h) Fish (Oncorhynchus mykiss) >100 mg/L (OECD 203)	EC50 (48h) Daphnia magna =6.6mg/L (OECD 202)	
Calcium sulfate 7778-18-9	CL50 (72h) >100 mg/L Algae	LC50 96 h > 1970 mg/L (Pimephales promelas static) LC50 96 h = 2980 mg/L (Lepomis macrochirus static)	CE50 (48h) >100 mg/L Waterflea (Daphnia magna)	
Lithium carbonate 554-13-2	CE50 (72h) >400 mg/L Algae (Desmodesmus subspicatus)	LC50 (96h) =30.3 mg/L Fish (Oncorhynchus mykiss) Static	EC50 (48h) =33.2 mg/L Waterflea (Daphnia magna) Static	
(+)-Tartaric acid 87-69-4	-	LC50 (96h) >100 mg/L Fish (Brachydanio rerio) Static	-	
Cellulose, 2-hydroxyethyl methyl ether 9032-42-2	-	CL50 (96h) >500 mg/L Fish (Danio rerio)	-	
Kaolin 1332-58-7	IC 50 (72h) > 1000 mg/l	LC 50 (96h) > 1000 mg/l	EC 50 (48h) > 1000 mg/l (Daphnia magna)	
Sulfuric acid, tin(2+) salt (1:1) 7488-55-3	EC50 (72h) =0.2 mg/L (Algae) Growth inhibition	-	-	
Formaldehyde 50-00-0	-	LC50 96 h 100 - 136 mg/L (Oncorhynchus mykiss static) LC50 96 h = 41 mg/L (Brachydanio rerio static) LC50 96 h = 1510 µg/L (Lepomis macrochirus static) LC50 96 h 22.6 - 25.7 mg/L (Pimephales promelas flow-through) LC50 96 h 23.2 - 29.7 mg/L (Pimephales promelas static) LC50 96 h 0.032 - 0.226 mL/L (Oncorhynchus mykiss flow-through)	EC50 48 h 11.3 - 18 mg/L (Daphnia magna Static) LC50 48 h = 2 mg/L (Daphnia magna )	

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

**Partition coefficient** No information available

## 12.4. Mobility in soil

**Mobility in soil** No information available.

## 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

## 12.6. Other adverse effects



# Safety Data Sheet

**EVO-STIK FLOOR SMOOTHING COMPOUND**  
**Supersedes Date:** 25-May-2018

**Revision Date** 22-Jun-2018  
**Revision Number** 1.01

No information available

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

<b>Waste from Residues/Unused Products</b>	Dispose of wastes in an approved waste disposal facility.
<b>Contaminated Packaging</b>	Improper disposal or reuse of this container may be dangerous and illegal.
<b>European Waste Catalogue</b>	17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
<b>Other Information</b>	Waste codes should be assigned by the user based on the application for which the product was used.

## Section 14: TRANSPORT INFORMATION

### Land transport (ADR/RID)

<b>14.1 UN Number</b>	Not regulated
<b>14.2 Proper Shipping Name</b>	Not regulated
<b>14.3 Transport hazard class(es)</b>	Not regulated
<b>14.4 Packing Group</b>	Not regulated
<b>14.5 Environmental hazards</b>	Not applicable
<b>14.6 Special Provisions</b>	None

### IMDG

<b>14.1 UN Number</b>	Not regulated
<b>14.2 Proper Shipping Name</b>	Not regulated
<b>14.3 Transport hazard class(es)</b>	Not regulated
<b>14.4 Packing Group</b>	Not regulated
<b>14.5 Marine Pollutant</b>	Np
<b>14.6 Special Provisions</b>	None
<b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	No information available

### Air transport (ICAO-TI / IATA-DGR)

<b>14.1 UN Number</b>	Not regulated
<b>14.2 Proper Shipping Name</b>	Not regulated
<b>14.3 Transport hazard class(es)</b>	Not regulated
<b>14.4 Packing Group</b>	Not regulated
<b>14.5 Environmental hazards</b>	Not applicable
<b>14.6 Special Provisions</b>	None

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

# Safety Data Sheet

**EVO-STIK FLOOR SMOOTHING COMPOUND**  
**Supersedes Date:** 25-May-2018

**Revision Date** 22-Jun-2018  
**Revision Number** 1.01

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

## Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

### EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical Name	CAS No
Quartz	14808-60-7
Limestone	1317-65-3
Cement, portland, chemicals	65997-15-1
Cement, alumina, chemicals	65997-16-2
Calcium sulfate	7778-18-9
Sulphonated melamine formaldehyde polymer	UNKNOWN
Lithium carbonate	554-13-2
(+)-Tartaric acid	87-69-4
Defoaming agents on silica	UNKNOWN
Non hazardous components	UNKNOWN
Vinylacetate-vertastic ester copolymer	9070-52-4
Cellulose, 2-hydroxyethyl methyl ether	9032-42-2
Acetic acid ethenyl ester, polymer with ethene and ethenol	26221-27-2
Polyethylene glycol phenyl ether phosphate	39464-70-5
Polycarboxylic acid construction additive	UNKNOWN
Kaolin	1332-58-7
Vinyl acetate-Vinyl alcohol polymer	25213-24-5
Acetic acid ethenyl ester based copolymers	UNKNOWN
Sulfuric acid, tin(2+) salt (1:1)	7488-55-3
Water	7732-18-5
Formaldehyde	50-00-0

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
Quartz	14808-60-7	
Limestone	1317-65-3	
Cement, portland, chemicals	65997-15-1	47.
Cement, alumina, chemicals	65997-16-2	
Calcium sulfate	7778-18-9	
Sulphonated melamine formaldehyde polymer	UNKNOWN	
Lithium carbonate	554-13-2	
(+)-Tartaric acid	87-69-4	
Defoaming agents on silica	UNKNOWN	
Non hazardous components	UNKNOWN	
Vinylacetate-vertastic ester copolymer	9070-52-4	
Cellulose, 2-hydroxyethyl methyl ether	9032-42-2	
Acetic acid ethenyl ester, polymer with ethene and ethenol	26221-27-2	
Polyethylene glycol phenyl ether phosphate	39464-70-5	
Polycarboxylic acid construction additive	UNKNOWN	
Kaolin	1332-58-7	
Vinyl acetate-Vinyl alcohol polymer	25213-24-5	
Acetic acid ethenyl ester based copolymers	UNKNOWN	
Sulfuric acid, tin(2+) salt (1:1)	7488-55-3	
Water	7732-18-5	
Formaldehyde	50-00-0	

### EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Chemical Name	CAS No
Quartz	14808-60-7

# Safety Data Sheet

**EVO-STIK FLOOR SMOOTHING COMPOUND**  
**Supersedes Date:** 25-May-2018

**Revision Date** 22-Jun-2018  
**Revision Number** 1.01

Limestone	1317-65-3
Cement, portland, chemicals	65997-15-1
Cement, alumina, chemicals	65997-16-2
Calcium sulfate	7778-18-9
Sulphonated melamine formaldehyde polymer	UNKNOWN
Lithium carbonate	554-13-2
(+)-Tartaric acid	87-69-4
Defoaming agents on silica	UNKNOWN
Non hazardous components	UNKNOWN
Vinylacetate-vertastic ester copolymer	9070-52-4
Cellulose, 2-hydroxyethyl methyl ether	9032-42-2
Acetic acid ethenyl ester, polymer with ethene and ethenol	26221-27-2
Polyethylene glycol phenyl ether phosphate	39464-70-5
Polycarboxylic acid construction additive	UNKNOWN
Kaolin	1332-58-7
Vinyl acetate-Vinyl alcohol polymer	25213-24-5
Acetic acid ethenyl ester based copolymers	UNKNOWN
Sulfuric acid, tin(2+) salt (1:1)	7488-55-3
Water	7732-18-5
Formaldehyde	50-00-0

Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Formaldehyde - 50-00-0	5	50

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**  
 Not applicable

**Persistent Organic Pollutants**  
 Not applicable

## 15.2. Chemical safety assessment

None

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H335 - May cause respiratory irritation  
 H315 - Causes skin irritation  
 H318 - Causes serious eye damage  
 H317 - May cause an allergic skin reaction

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls and personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
 Ceiling Maximum limit value \* Skin designation  
 PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals  
 STOT (RE): Specific target organ toxicity - Repeated exposure  
 STOT (SE): Specific target organ toxicity - Single exposure  
 EWC: European Waste Catalogue

#### Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

# Safety Data Sheet

**EVO-STIK FLOOR SMOOTHING COMPOUND**  
**Supersedes Date:** 25-May-2018

**Revision Date** 22-Jun-2018  
**Revision Number** 1.01

---

<b>Prepared By</b>	Product Safety & Regulatory Affairs
--------------------	-------------------------------------

<b>Revision Date</b>	22-Jun-2018
----------------------	-------------

**Indication of changes**

<b>Revision Note</b>	Not applicable.
----------------------	-----------------

<b>Training Advice</b>	No information available
------------------------	--------------------------

<b>Further information</b>	No information available
----------------------------	--------------------------

**This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**