

SEALOCREATE SEALOFLOL SMOOTH COMPOUND
 Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018
 Revision Number 1.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name SEALOCREATE SEALOFLOL SMOOTH COMPOUND
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Building and construction work.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited
 Common Rd
 ST16 3EH
 Stafford UK
 Tel: +44 (1785) 27 26 25
 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corrosion/Irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1 - (H317)

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains Cement, portland, chemicals



Signal Word
 DANGER

Hazard statements

Safety Data Sheet

SEALOCREATE SEALOFLOL SMOOTH COMPOUND
Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018
Revision Number 1.01

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P260 - Do not breathe dust
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P315 - Get immediate medical advice/attention
P362 + P364 - Take off contaminated clothing and wash it before reuse
P402 + P404 - Store in a dry place. Store in a closed container
P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

General Hazards

Product dust may be irritating to eyes, skin and respiratory system. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	EC No.	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	40 - <80	^		Exempt
Limestone	215-279-6	1317-65-3	>25 - <40	^		Exempt (N)
Cement, portland, chemicals	266-043-4	65997-15-1	10 - <20	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317)		No data available
Cement, alumina, chemicals	266-045-5	65997-16-2	1 - <5	^		Exempt
Calcium sulfate	231-900-3	7778-18-9	1- <2.5	^		01-2119444918-26-XXXX
Sulphonated melamine formaldehyde polymer	-	UNKNOWN	0.1 - <1	^		Exempt(P)
Lithium carbonate	209-062-5	554-13-2	0.01 - <0.1	Eye Irrit. 2 (H319) Acute Tox. 4 (H302)		01-2119516034-53-XXXX
(+)-Tartaric acid	201-766-0	87-69-4	0.01 - <0.1	Eye Dam. 1 (H318)		01-2119537204-47-XXXX
Defoaming agents on silica	-	UNKNOWN	0.01 - <0.1	^		No data available

Safety Data Sheet

SEALOCREATE SEALOFLOR SMOOTH COMPOUND
 Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018
 Revision Number 1.01

Non hazardous components	-	UNKNOWN	0.01 - <0.1	^		No data available
Vinylacetate-vertastic ester copolymer	-	9070-52-4	0.01 - <0.1	^		Exempt(P)
Cellulose, 2-hydroxyethyl methyl ether	-	9032-42-2	0.01 - <0.1	^		Exempt(P)
Acetic acid ethenyl ester, polymer with ethene and ethenol	-	26221-27-2	0.01 - <0.1	^		Exempt(P)
Polyethylene glycol phenyl ether phosphate	-	39464-70-5	0.01 - <0.1	Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		No data available
Polycarboxylic acid construction additive	-	UNKNOWN	0.01 - <0.1	^		No data available
Kaolin	310-194-1	1332-58-7	0.0015 - <0.01	^		Exempt(N)
Vinyl acetate-Vinyl alcohol polymer	-	25213-24-5	0.0015 - <0.01	^		Exempt(P)
Acetic acid ethenyl ester based copolymers	-	UNKNOWN	0.0015 - <0.01	^		Exempt(P)
Sulfuric acid, tin(2+) salt (1:1)	231-302-2	7488-55-3	0.0015 - <0.01	STOT SE 3 (H335) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Chronic 2(H411) Acute Tox. 4 (H332)		01-2119560591-39-XXXX
Water	231-791-2	7732-18-5	<0.0015	^		Exempt
Formaldehyde	200-001-8	50-00-0	<0.0015	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350)	Eye Irrit. 2 :: 5%<=C<25% Skin Corr. 1B :: C>=25% Skin Irrit. 2 :: 5%<=C<25% Skin Sens. 1 :: C>=0.2% STOT SE 3 :: C>=5%	01-2119488953-20-XXXX

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation	Remove to fresh air. If symptoms persist, call a doctor.
Skin Contact	Brush off loose particles from skin. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a doctor.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this

Safety Data Sheet

SEALOCREATE SEALOFLOFLOR SMOOTH COMPOUND
Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018
Revision Number 1.01

container or label.

Self-Protection of the First Aider Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Causes severe skin burns and eye damage. May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation of susceptible persons. Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media

None known

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

Hazardous Combustion Products Carbon oxides.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and eye/face protection.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Avoid creating dust. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust.

6.4. Reference to other sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safety Data Sheet

SEALOCREATE SEALOFLOL SMOOTH COMPOUND
Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018
Revision Number 1.01

Advice on safe handling

Avoid contact with skin and eyes. Avoid generation of dust. Wash contaminated clothing before reuse.

General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep out of the reach of children. Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Protect from moisture. Keep from freezing.

7.3. Specific end use(s)

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	Ireland	United Kingdom
Quartz 14808-60-7	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ respirable
Limestone 1317-65-3	-	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	STEL: 30 mg/m ³ inhalable dust STEL: 12 mg/m ³ respirable dust TWA: 10 mg/m ³ inhalable dust TWA: 4 mg/m ³ respirable dust
Cement, portland, chemicals 65997-15-1	-	TWA: 1 mg/m ³ STEL: 3 mg/m ³	STEL: 30 mg/m ³ inhalable dust STEL: 12 mg/m ³ respirable dust TWA: 10 mg/m ³ inhalable dust TWA: 4 mg/m ³ respirable dust
Calcium sulfate 7778-18-9	-	TWA: 10 mg/m ³ STEL: 30 mg/m ³	-

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection

Tight sealing safety goggles. Face protection shield.

Hand Protection

Wear protective gloves. Gloves made of plastic or rubber. Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Skin and Body Protection

Avoid contact with skin, eyes or clothing. Wear appropriate personal protective clothing to prevent skin contact.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid generation of dust.

Recommended filter type:

Particle filter device (DIN EN 143).

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid
Appearance Powder

Safety Data Sheet

SEALOCREATE SEALOFLOFLOR SMOOTH COMPOUND
Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018
Revision Number 1.01

Colour Grey
Odour No information available
Odour Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	11 - 12	pH (as aqueous solution)
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability or explosive limits	No information available	
Lower flammability or explosive limits	No information available	
Vapour Pressure	No information available	
Vapour Density	No information available	
Relative Density	1.6	
Water Solubility	No information available	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	No information available	

Dynamic Viscosity No information available

9.2. Other information

Softening Point No information available
Molecular Weight No information available
Solvent content (%) No information available
Solid content (%) 100
Density No data available
Bulk Density No data available
VOC content (%)

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Protect from moisture.

10.5. Incompatible materials

Safety Data Sheet

SEALOCREATE SEALOFLOFLOR SMOOTH COMPOUND
Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018
Revision Number 1.01

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation	Causes burns.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin Contact	Irritating to skin.
Ingestion	Causes burns.
Sensitisation	May cause sensitisation by skin contact.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	Not applicable.
Serious eye damage/eye irritation	Not applicable.
Sensitisation	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Carcinogenicity	Not applicable.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Target Organ Effects	Eyes, Lungs, Respiratory system, Skin.
Aspiration hazard	No information available.

Numerical measures of toxicity

Acute Toxicity

Component Information

Toxicity Data Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rat)	LD50 >2000 mg/Kg	-

Section 12: ECOLOGICAL INFORMATION

Safety Data Sheet

SEALOCREATE SEALOFLOL SMOOTH COMPOUND
 Supercedes Date: 25-May-2018

Revision Date 22-Jun-2018
 Revision Number 1.01

12.1. Toxicity

Ecotoxicity No information available

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmodesmus subspicatus)	CL50 (96h)>10000mg/L Fish (Oncorhynchus mykiss)	CE50 (48h) >1000 mg/L Daphnia Magna	
Cement, alumina, chemicals 65997-16-2	EC50 (72h)Algae (Pseudokirchneriella subcapitata) >5.6mg/L	LC50 (96h) Fish (Oncorhynchus mykiss) >100 mg/L (OECD 203)	EC50 (48h) Daphnia magna =6.6mg/L (OECD 202)	
Calcium sulfate 7778-18-9	CL50 (72h) >100 mg/L Algae	LC50 96 h > 1970 mg/L (Pimephales promelas static) LC50 96 h = 2980 mg/L (Lepomis macrochirus static)	CE50 (48h) >100 mg/L Waterflea (Daphnia magna)	
Lithium carbonate 554-13-2	CE50 (72h) >400 mg/L Algae (Desmodesmus subspicatus)	LC50 (96h) =30.3 mg/L Fish (Oncorhynchus mykiss) Static	EC50 (48h) =33.2 mg/L Waterflea (Daphnia magna) Static	
(+)-Tartaric acid 87-69-4	-	LC50 (96h) >100 mg/L Fish (Brachydanio rerio) Static	-	
Cellulose, 2-hydroxyethyl methyl ether 9032-42-2	-	CL50 (96h) >500 mg/L Fish (Danio rerio)	-	
Kaolin 1332-58-7	IC 50 (72h) > 1000 mg/l	LC 50 (96h) > 1000 mg/l	EC 50 (48h) > 1000 mg/l (Daphnia magna)	
Sulfuric acid, tin(2+) salt (1:1) 7488-55-3	EC50 (72h) =0.2 mg/L (Algae) Growth inhibition	-	-	
Formaldehyde 50-00-0	-	LC50 96 h 100 - 136 mg/L (Oncorhynchus mykiss static) LC50 96 h = 41 mg/L (Brachydanio rerio static) LC50 96 h = 1510 µg/L (Lepomis macrochirus static) LC50 96 h 22.6 - 25.7 mg/L (Pimephales promelas flow-through) LC50 96 h 23.2 - 29.7 mg/L (Pimephales promelas static) LC50 96 h 0.032 - 0.226 mL/L (Oncorhynchus mykiss flow-through)	EC50 48 h 11.3 - 18 mg/L (Daphnia magna Static) LC50 48 h = 2 mg/L (Daphnia magna)	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

Safety Data Sheet

SEALOCREATE SEALOFLOL SMOOTH COMPOUND
Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018
Revision Number 1.01

No information available

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Dispose of wastes in an approved waste disposal facility.
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.
European Waste Catalogue	17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

Land transport (ADR/RID)

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

IMDG

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

Air transport (ICAO-TI / IATA-DGR)

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Safety Data Sheet

SEALOCREATE SEALOFLOL SMOOTH COMPOUND
 Supercedes Date: 25-May-2018

Revision Date 22-Jun-2018
 Revision Number 1.01

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical Name	CAS No
Quartz	14808-60-7
Limestone	1317-65-3
Cement, portland, chemicals	65997-15-1
Cement, alumina, chemicals	65997-16-2
Calcium sulfate	7778-18-9
Sulphonated melamine formaldehyde polymer	UNKNOWN
Lithium carbonate	554-13-2
(+)-Tartaric acid	87-69-4
Defoaming agents on silica	UNKNOWN
Non hazardous components	UNKNOWN
Vinylacetate-vertastic ester copolymer	9070-52-4
Cellulose, 2-hydroxyethyl methyl ether	9032-42-2
Acetic acid ethenyl ester, polymer with ethene and ethenol	26221-27-2
Polyethylene glycol phenyl ether phosphate	39464-70-5
Polycarboxylic acid construction additive	UNKNOWN
Kaolin	1332-58-7
Vinyl acetate-Vinyl alcohol polymer	25213-24-5
Acetic acid ethenyl ester based copolymers	UNKNOWN
Sulfuric acid, tin(2+) salt (1:1)	7488-55-3
Water	7732-18-5
Formaldehyde	50-00-0

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
Quartz	14808-60-7	
Limestone	1317-65-3	
Cement, portland, chemicals	65997-15-1	47.
Cement, alumina, chemicals	65997-16-2	
Calcium sulfate	7778-18-9	
Sulphonated melamine formaldehyde polymer	UNKNOWN	
Lithium carbonate	554-13-2	
(+)-Tartaric acid	87-69-4	
Defoaming agents on silica	UNKNOWN	
Non hazardous components	UNKNOWN	
Vinylacetate-vertastic ester copolymer	9070-52-4	
Cellulose, 2-hydroxyethyl methyl ether	9032-42-2	
Acetic acid ethenyl ester, polymer with ethene and ethenol	26221-27-2	
Polyethylene glycol phenyl ether phosphate	39464-70-5	
Polycarboxylic acid construction additive	UNKNOWN	
Kaolin	1332-58-7	
Vinyl acetate-Vinyl alcohol polymer	25213-24-5	
Acetic acid ethenyl ester based copolymers	UNKNOWN	
Sulfuric acid, tin(2+) salt (1:1)	7488-55-3	
Water	7732-18-5	
Formaldehyde	50-00-0	

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Chemical Name	CAS No
Quartz	14808-60-7

Safety Data Sheet

SEALOCREATE SEALOFLOR SMOOTH COMPOUND
Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018
Revision Number 1.01

Limestone	1317-65-3
Cement, portland, chemicals	65997-15-1
Cement, alumina, chemicals	65997-16-2
Calcium sulfate	7778-18-9
Sulphonated melamine formaldehyde polymer	UNKNOWN
Lithium carbonate	554-13-2
(+)-Tartaric acid	87-69-4
Defoaming agents on silica	UNKNOWN
Non hazardous components	UNKNOWN
Vinylacetate-vertastic ester copolymer	9070-52-4
Cellulose, 2-hydroxyethyl methyl ether	9032-42-2
Acetic acid ethenyl ester, polymer with ethene and ethenol	26221-27-2
Polyethylene glycol phenyl ether phosphate	39464-70-5
Polycarboxylic acid construction additive	UNKNOWN
Kaolin	1332-58-7
Vinyl acetate-Vinyl alcohol polymer	25213-24-5
Acetic acid ethenyl ester based copolymers	UNKNOWN
Sulfuric acid, tin(2+) salt (1:1)	7488-55-3
Water	7732-18-5
Formaldehyde	50-00-0

Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Formaldehyde - 50-00-0	5	50

Ozone-depleting substances (ODS) regulation (EC) 1005/2009
 Not applicable

Persistent Organic Pollutants
 Not applicable

15.2. Chemical safety assessment

None

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H335 - May cause respiratory irritation
 H315 - Causes skin irritation
 H318 - Causes serious eye damage
 H317 - May cause an allergic skin reaction

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls and personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals		
STOT (RE):	Specific target organ toxicity - Repeated exposure		
STOT (SE):	Specific target organ toxicity - Single exposure		
EWC:	European Waste Catalogue		

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Safety Data Sheet

SEALOCREATE SEALOFLOL SMOOTH COMPOUND
Supersedes Date: 25-May-2018

Revision Date 22-Jun-2018
Revision Number 1.01

Prepared By Product Safety & Regulatory Affairs

Revision Date 22-Jun-2018

Indication of changes

Revision Note Not applicable.

Training Advice No information available

Further information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet