



SAFETY DATA SHEET – Gorilla Tape

(Black, Silver, White, Camo, High Visibility)

Date Revised: 13/12/2016

Version 1.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name	Gorilla Tape (Black, Silver, White, Camo, High Visibility).
Synonym(s)	Polymer bases pressure sensitive adhesive.
CAS No.	Mixture.
EINECS No.	Mixture.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s)	Tape. Intended for general public.
Uses advised against	None known.

1.3 Details of the supplier of the Safety Data Sheet

Company Identification	Gorilla Glue Europe Ltd. Chorley Business & Technology Centre East Terrace Euxton Lane Chorley PR7 6TE, United Kingdom.
Telephone	01257 241319
Fax	01257 273820
E-mail	eusales@gorillaglue.com

1.4 Emergency telephone number

National Poisons Information Service	111
Emergency Phone No.	+44 (0) 1257 241319 (During Business Hours) +1 651-603-3429 (Outside Business Hours)

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP)	Not classified as dangerous for supply/use.
-------------------------------------	---

2.2 Label elements

Product Name	According to Regulation (EC) No. 1272/2008 (CLP) Gorilla Tape.
Hazard pictogram(s)	None.
Signal word(s)	None.
Hazard statement(s)	EUH210: Safety data sheet available on request.
Precautionary statement(s)	None.

2.3 Other hazards

Finely divided Quartz has caused cancer and lung disease in workers that inhale it over an extended period of time. Studies suggest, however, that these hazards are not associated with other routes of exposure.

2.4 Additional Information

The quartz in this formulation is in an adhesive matrix and is not expected to be "inhalable."



SAFETY DATA SHEET – Gorilla Tape

(Black, Silver, White, Camo, High Visibility)

Date Revised: 13/12/2016

Version 1.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

Therefore, these hazards are not expected to be present.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

Within the meaning of Regulation (EC) No. 1278/2008 on classification, labelling and packaging of substances and mixtures: Quantities of compounds contained in this product are not reportable under the article exemption since they do not release or otherwise result in exposure of a hazardous chemical under normal conditions of use.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

General information

Do not give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell. (show the label if possible).

Inhalation

Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

Skin Contact

Remove contaminated clothing. Gently wash with plenty of soap and water. Continue to wash the affected area for at least 15 minutes. Call a POISON CENTER/doctor if you feel unwell. Wash contaminated clothing before reuse.

Eye Contact

Flush eyes with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion

Rinse mouth. Do not induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

Skin Contact: Repeated and/or prolonged skin contact may cause irritation.

Inhalation: Repeated and/or prolonged contact may cause: Dizziness, Drowsiness.

Eye Contact: Contact may cause irritation due to mechanical abrasion.

Ingestion: Likely to be harmful or have adverse effects.

4.3 Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.



SAFETY DATA SHEET – Gorilla Tape

(Black, Silver, White, Camo, High Visibility)

Date Revised: 13/12/2016

Version 1.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

5. SECTION 5: FIREFIGHTING MEASURES

- 5.1 Extinguishing Media**
Suitable Extinguishing Media As appropriate for surrounding fire.
Unsuitable Extinguishing Media Do not use a heavy water stream. Use of heavy stream of water may spread fire.
- 5.2 Special hazards arising from the substance or mixture** Non-flammable. Non-explosive. Reactivity: None known.
- 5.3 Advice for firefighters** Exercise caution when fighting any chemical fire. Do not allow runoff to enter drains, sewers or watercourses. Fire fighters should wear proper protective clothing including respiratory protection.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Avoid contact with skin, eyes or clothing. Avoid breathing vapours. Ensure adequate ventilation. Evacuate if necessary. Stop leak if safe to do so. Ensure suitable personal protection is used during removal of spillages.
- 6.2 Environmental precautions** Avoid run off to waterways and sewers.
- 6.3 Methods and material for containment and cleaning up** Clean up spill immediately. Transfer to a container for disposal. Dispose of empty containers and wastes safely.
- 6.4 Reference to other sections** See Also Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** General hygiene measures for the handling of chemicals are applicable. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Do not eat, drink or smoke when using this product.
- 7.2 Conditions for safe storage, including any incompatibilities** Store in a cool/low-temperature, well-ventilated (dry) place. Keep away from heat.
Storage Temperature Ambient.
Storage Life Stable under normal conditions.
Incompatible materials Acids, Alkalis, Strong oxidising agents.
- 7.3 Specific end use(s)** Tape. Intended for general public.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
- 8.2 Exposure controls** Appropriate engineering controls Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any



SAFETY DATA SHEET – Gorilla Tape

(Black, Silver, White, Camo, High Visibility)

Date Revised: 13/12/2016

Version 1.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

Personal protective equipment

potential exposure. Provide sufficient ventilation to keep vapors below permissible exposure limit. Ensure all national/local regulations are observed. Gloves. Safety glasses.



Hand protection

Chemically resistant gloves are recommended, but not required.

Eye protection

Chemical goggles or safety glasses.

Skin and body protection

Wear suitable working clothes.

Respiratory protection

Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Other information

When using, do not eat, drink or smoke.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Solid.

Colour

Black, White, Silver, Orange, or Camouflage backing with grey adhesive.

Odour

Slight.

Odour Threshold

No data.

pH

Not applicable.

Melting Point/Freezing Point

No data.

Initial boiling point and boiling range

No data.

Flash Point

No data.

Evaporation rate

No data.

Flammability (solid, gas)

No data.

Upper/lower flammability or explosive limits

Not applicable.

Vapour pressure

No data.

Vapour density

No data.

Relative density

No data.

Solubility(ies)

No data.

Partition coefficient: n-octanol/water

No data.

Auto-ignition temperature

No data.

Decomposition Temperature

No data.

Viscosity

No data.

Explosive properties

No data.

Oxidising properties

No data.

9.2 Other information

None.



SAFETY DATA SHEET – Gorilla Tape

(Black, Silver, White, Camo, High Visibility)

Date Revised: 13/12/2016

Version 1.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

10. SECTION 10: STABILITY AND REACTIVITY

- | | |
|---|--|
| 10.1 Reactivity | None known. |
| 10.2 Chemical stability | Stable under normal conditions. |
| 10.3 Possibility of hazardous reactions | Hazardous polymerisation will not occur.
No hazardous reactions known if used for its intended purpose. |
| 10.4 Conditions to avoid | Keep from direct sunlight. Extremely high or low temperatures. |
| 10.5 Incompatible materials | Acids, Alkalis, Strong oxidising agents. |
| 10.6 Hazardous Decomposition Product(s) | Oxides of carbon, Nitrogen compounds, Acrolein, Aldehydes, Formaldehyde, Hydrocarbons. |

11. SECTION 11: TOXICOLOGICAL INFORMATION

- | | |
|---|-----------------|
| 11.1 Information on toxicological effects | |
| Acute toxicity | Not classified. |
| Skin corrosion/irritation | Not classified. |
| Serious eye damage/irritation | Not classified. |
| Respiratory or skin sensitisation | Not classified. |
| Germ cell mutagenicity | Not classified. |
| Carcinogenicity | Not classified. |
| Reproductive toxicity | Not classified. |
| STOT - single exposure | Not classified. |
| STOT - repeated exposure | Not classified. |
| Aspiration hazard | Not classified. |
| 11.2 Other information | None. |

12. SECTION 12: ECOLOGICAL INFORMATION

- | | |
|---|-----------------------------------|
| 12.1 Toxicity | No information available. |
| 12.2 Persistence and degradability | No information available. |
| 12.3 Bioaccumulative potential | No information available. |
| 12.4 Mobility in soil | No information available. |
| 12.5 Results of PBT and vPvB assessment | No information available. |
| 12.6 Other adverse effects | Avoid release to the environment. |

13. SECTION 13: DISPOSAL CONSIDERATIONS

- | | |
|------------------------------|---|
| 13.1 Waste treatment methods | Dispose of wastes in an approved waste disposal facility. |
| 13.2 Additional Information | Disposal should be in accordance with local, state or national legislation. |



SAFETY DATA SHEET – Gorilla Tape

(Black, Silver, White, Camo, High Visibility)

Date Revised: 13/12/2016

Version 1.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

14. SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous for transport.

14.1 UN number	Not applicable.
14.2 UN Proper Shipping Name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing Group	Not applicable.
14.5 Environmental hazards	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1 EU regulations	No REACH Annex XVII restrictions Contains no REACH candidate substance
15.1.2 National regulations	No additional information available.
15.2 Chemical Safety Assessment	No chemical safety assessment has been carried out.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 3, 5, 11, 14, 15

Disclaimers

The information presented in this Safety Data Sheet was prepared by qualified personnel and to the best of our knowledge is true and accurate. The information and recommendations are furnished for this product with the understanding that the purchaser will independently determine the suitability of the product for this purpose. This data does not constitute a warranty, expressed or implied, statutory or otherwise, nor is it representation for which The Gorilla Glue Company assumes legal responsibility. The data is submitted for the user's information and consideration only. Any use of this product must be determined by the user to be in accordance with applicable federal, state, provincial and local laws and regulations.

Annex to the extended Safety Data Sheet (eSDS)

Not applicable.